

Countertop Food

Instruction manual



Model: GP291-A / GP292-A

Telephone Helpline: 1300225960



Safety Instructions

Please take a few moments to carefully read through this manual. Correct maintenance and operation of this machine will provide the best possible performance from your POLAR product.

- Position on a flat, stable surface.
- A service agent/qualified technician should carry out installation and any repairs if required. Do not remove any components or service panels on this product.
 - In Queensland the service agent/qualified technician MUST hold a Gas Work Authorisation or License for hydrocarbon refrigerants if the appliance gas system is being opened or charged.
- Consult Local and National Standards to comply with the following:
 - Health and Safety at Work Legislation
 - BS EN Codes of Practice
 - Fire Precautions
 - IEE Wiring Regulations
 - Building Regulations
- DO NOT use jet/pressure washers to clean the appliance.
- DO NOT use the appliance outside.
- DO NOT use this appliance to store medical supplies.
- DO NOT allow oil or fat to come into contact with the plastic components or door seal. Clean immediately if contact occurs.
- DO NOT store products on top of the appliance.
- Bottles that contain a high percentage of alcohol must be sealed and placed vertically in the refrigerator.
- Always carry, store and handle the appliance in a vertical position and move by holding the base of the appliance.
- Always switch off and disconnect the power supply to the unit before cleaning.
- Keep all packaging away from children. Dispose of the packaging in accordance with the regulations of local authorities.

- Children should be supervised to ensure that they do not play with the appliance.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience or knowledge, unless they have been given supervision or instruction concerning the use of the appliance by a person responsible for their safety.
- POLAR recommend that this appliance should be periodically tested (at least annually) by a Competent Person. Testing should include, but not be limited to: Visual Inspection, Polarity Test, Earth Continuity, Insulation Continuity and Functional Testing.

Caution: Risk of Fire 2

• Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.



Warning: Keep all ventilation openings clear of obstruction. Unit should not be boxed in without adequate ventilation.

- To comply with AS/NZS 60079.10.1:2009: Ensure there are not sources of ignition in any area where refrigerant could gather in the event of a leak.
- Electrical equipment should not be placed under the vent or where refrigerant could gather in the event of a leak.
- **Warning:** Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- Warning: Do not damage the refrigerant circuit.
- **Warning:** Do not use electrical appliances inside the food storage compartments of the appliance.

Product Description

GP292-A - POLAR Countertop Food display fridge Black - 120Ltr GP291-A - POLAR Countertop Food display fridge Black - 160Ltr

Telephone Helpline: 1300225960

Pack Contents

- POLAR Counter-Top Food display fridge
- Shelves x 2
- Instruction manual

POLAR prides itself on quality and service, ensuring that at the time of unpacking the contents are supplied fully functional and free of damage.

Should you find any damage as a result of transit, please contact your POLAR dealer immediately.

Installation

Not for use in vans or trailers, food trucks or similar vehicles.

If the unit has not been stored or moved in an upright position, let it stand upright for approximately 12 hours before operation. If in doubt allow to stand.

- Remove the appliance from the packaging. Make sure that all protective plastic film and coatings are thoroughly removed from all surfaces.
- To optimize performance and longevity, ensure a minimum clearance of 2.5cm is maintained between the unit and walls and other objects, with a minimum 20cm clearance on the top.
 NEVER LOCATE NEXT TO A HEAT SOURCE.




Note: Before using the appliance for the first time, clean the shelves and interior with soapy water then dry well.

Operation

Control Panel

The control panel is located below the doors on the rear of the appliance.



Turn On

- 1. Close the doors of the appliance.
- 2. Connect the appliance to a mains power supply.
- Press the & button to turn the light On or Off as required.

Setting the Operating Temperature

- 1. Press the **SET** button. The display will flash.
- 2. Press the ≜ or ₹ buttons to display the required temperature.
- 3. Press the **SET** button to store the temperature.

Manual Defrost

Press and hold the 🐧 button for 6 seconds to begin automatic defrost. The defrost light illuminates.

The defrost cycle will end automatically.

Cleaning, Care & Maintenance

- Switch off and disconnect from the power supply before cleaning.
- The doors can be removed for ease of cleaning.
- 3. Clean the interior of the appliance as often as possible.
- Do not use abrasive cleaning agents. These can leave harmful residues.
- 5. Clean the door seal with warm soapy water.
- 6. Always wipe dry after cleaning.

Condensation and ice will form with frequent and prolonged opening of the doors. Operating outside of the recommend temperature range and placing next to a heat source will also increase the amount of ice and internal/external condensation. If external condensation occurs wipe the surface down with a cloth.

Excessive ice will result in longer running times that will increase energy consumption and increase the deterioration of components.

Replacing the Interior Lamp

Call your POLAR dealer or a qualified electrician, the Lamp Assembly is available to purchase as a spare part.

4



Cleaning the Condenser

Periodically cleaning the condenser can extend the life of the appliance. POLAR recommend that a POLAR agent or qualified technician clean the condenser.

Troubleshooting

A qualified technician must carry out repairs if required.

Fault	Probable Cause	Solution	
The appliance is not working	The unit is not switched on	Check the unit is plugged in correctly and switched on	
	Plug or lead are damaged	Replace plug or lead	
	Mains power supply fault	Check mains power supply	
The appliance turns on, but the temperature is too high/ low	Too much ice on the condenser	Defrost the appliance	
	Condenser blocked with dust	Clean the condenser	
	Doors are not shut properly	Check doors are shut and seals are not damaged	
	Appliance is located near a heat source, in the direct sunlight or air flow to the condenser is being interrupted	Move the refrigerator to a more suitable location	
	Ambient temperature is too high	Increase ventilation or move appliance to a cooler position	
	Unsuitable foodstuffs are being stored in the appliance	Remove any excessive hot foodstuffs or blockages to fan	
	Appliance is overloaded	Reduce the amount of food stored in the appliance	
The appliance is leaking water	The appliance is not properly levelled	Adjust the screw feet to level the appliance (if applicable)	
The appliance is unusually loud	Loose screw/nut	Check and tighten all nuts and screws	
	The appliance has not been installed in a level or stable position	Check installation position and change if necessary	
The display lamp does not illuminate	Lamp needs replacing	Replace the lamp	
	Light not turned on	Ensure Light button has been pressed properly	
Door does not shut	Dirt/obstacle in runners	Clean runners	
Error code EE4	Restricted Airflow Blocked Condenser	Increase airflow Clean the condenser	

Technical Specifications

Note: Due to our continuing program of research and development, the specifications herein may be subject to change without notice.

Model	Voltage	Power (W)	Current (A)	Temperature Range	Capacity (Litres)	Refrigerant	Dimensions H x W x D mm	Weight (kg)
GP292-A	220-240V~ 50Hz	160	1.4	2°C to 12°C	120	R600a	686 x 696 x 568	57
GP291-A		200	1.4	2°C to 12°C	160	R600a	686 x 874 x 568	66

Note: For optimal product performance and efficiency, please ensure to mind the net usable capacity (load limit) when filling.

Electrical Wiring

The plug is to be connected to a suitable mains socket.

This appliance is wired as follows:

- Live wire (coloured brown) to terminal marked L
- Neutral wire (coloured blue) to terminal marked N
- Earth wire (coloured green/yellow) to terminal marked E

The appliances must be earthed.




If in doubt consult a qualified electrician.

Electrical isolation points must be kept clear of any obstructions. In the event of any emergency disconnection being required they must be readily accessible.

Compliance

The product must not be disposed of as household waste. To help prevent possible harm to human health and/or the environment, the product must be disposed of in an approved and environmentally safe recycling process. For further information on how to dispose of this product correctly, contact the product supplier, or the local authority responsible for waste disposal in your area.

POLAR parts have undergone strict product testing in order to comply with regulatory standards and specifications set by international, independent, and federal authorities.





All rights reserved. No part of these instructions may be produced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of POLAR.

Every effort is made to ensure all details are correct at the time of going to press, however, POLAR reserve the right to change specifications without notice.

6

DECLARATION OF CONFORMITY

- Conformiteitsverklaring Déclaration de conformité Konformitätserklärung Dichiarazione di conformità •
- Declaración de conformidad

Equipment Type • Uitrustingstype • T	Model • Modèle • Modell •	
· Tipo di apparecchiatura · Tipo de equi	Modello	
		Modelo
G-Series Energy Efficient Countertop Food Display Fridge Black - 160Ltr G-Series Energy Efficient Countertop Food Display Fridge Black 20ttr Application of Territory Legislation & Council Directives(s) Toepassing van Europese Richtlijn(en) * Application de la/des directive(s) du Conseil * Anwendbare EU-Richtlinie(n) * Applicazione delle Direttive * Aplicación de la(s) directiva(s) del consejo	Machinery Directive 2006/42/EC Supply of Machinery (Safety) Regulations 2008 EN 60335-1:2012 +A11:2014 +A13:2017 +A1:2019 +A14:2019 +A2:2019 +A15:2021 EN IEC 60335-2-89:2022 +A11:2022 IEC 60335-1:2010 +A1:2013 +A2:2016 IEC 60335-2-89:2019 EN 602233:208 Electro-Magnetic Compatibility (EMC) Directive 2014/30/EU - recast of 2004/108/EC Electromagnetic Compatibility Regulations 2016 (S.I. 2016/1091) EN IEC 610006-3: 2021 EN IEC 610006-3: 2021 EN IEC 610006-3: 2018 Regulation (EU) 2019/2024 - Ecodesign direct sales refrigerators ISO 23953-2:2015 Restriction of Hazardous Substances Directive (RoHS) 2015/863 amending Annex II to Directive 2011/65/EU	* Modelo GP291 (-E & -A) GP292 (-E & -A) Electrical Safety AS/NZS 60335-2-89-2020 AS/NZS 60335-1:2020 +A1:2021 Electromagnetic Compatibility EN IEC 61000-6-3: 2021 EN IEC 61000-6-1: 2019
	Substances in Electrical and Electronic Equipment Regulations 2012 (S.I. 2012/3032)	
Producer Name • Naam fabrikant • Noi	m du producteur • Name des Herstellers	Polar
• Nome del produttore • Nombre del fal	oricante	

I, the undersigned, hereby declare that the equipment specified above conforms to the above Territory Legislation, Directive(s) and

lk, de ondergetekende, verklaar hierbij dat de hierboven gespecificeerde uitrusting goedgekeurd is volgens de bovenstaande Richtlijn(en) en

Je soussigné, confirme la conformité de l'équipement cité dans la présente à la / aux Directive(s) et Norme(s) ci-dessus Ich, der/die Unterzeichnende, erkläre hiermit, dass das oben angegebene Gerät der/den oben angeführten Richtlinie(n) und Norm(en) entspricht.

Il sottoscritto dichiara che l'apparecchiatura di sopra specificata è conforme alle Direttive e agli Standard sopra riportati. El abajo firmante declara por la presente que el equipo arriba especificado está en conformidad con la(s) directiva(s) y estándar(es) arriba

Date • Data • Date • Datum • Data • Fecha • Data

Signature • Handtekening • Signature • Unterschrift Firma •

Full Name • Volledige naam • Nom et prénom • Vollständiger Name • Nome completo • Nombre completo Position • Functie • Fonction • Position • Qualifica • Posición

Producer Address • Adres fabrikant • Adresse du producteur • Anschrift des Herstellers • Indirizzo del produttore • Dirección del fabricante

10 th Nov 2023			
Docusigned by: Askley Hooper B39382C9FD9C478	DocuSigned by: Coghan Donnellan D352874F7FAB480	DocuSigned by: Brudan Dunmadu D052C5837EB7485	
Ashley Hooper	Eoghan Donnellan	Brendan Denmeade	
Group Head of Product Quality & Compliance	Commercial Manager/ Importer	Commercial Manager/ Responsible Supplier	
Fourth Way, Avonmouth, Bristol, BS11 8TB United Kingdom	Unit 9003, Blarney Business Park, Blarney, Co. Cork Ireland	15 Badgally Road, Campbelltown NSW 2560	











http://www.polar-refrigerator.com/

GP291-A_GP292-A_A5_v1_2024/01/24