



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Yasaki BC-8V2 8L Double-Speed Bowl Cutter

Model / SKU: BC-8V2

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/6372/store/7/



BC-8V2 Double Speeds 8L Table Top Cutter Mixer / Bowl Cutter

Quick Overview

- Stainless steel housing
- 8L Stainless steel bowl
- Single phase plug in and play
- Stainless steel smooth blade (Hand wash only)
- All accessories are dishwasher safe expect blade
- 1500w heavy duty motor
- Safety microswitch included
- Two speeds 1500/2800RPM and pulse function

Description

This heavy duty 8L food processor / cutter mixer / bowl cutter offer a professional solution for all your kitchen cutting and mixing needs. Large food grade stainless steel bowl allows you to process large quantities of food, chopping herbs, making bread crumbs, mincing meat to creating elaborate: mousses, stuffings, creams, pastries, etc.. The tough polycarbonate lid equipped with scraper is designed to allow simple addition of liquids and keep homogenous result.

- Stainless steel housing
- 8L Stainless steel bowl
- Single phase plug in and play
- Stainless steel smooth blade (Hand wash only)
- All accessories are dishwasher safe expect blade
- 1500w heavy duty motor
- Safety microswitch included
- Two speeds 1500/2800RPM and pulse function

One Year Parts and Labour Warranty

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	21.8
Width (mm)	326
Depth (mm)	275
Height (mm)	587
Packing Width (mm)	435
Packing Depth (mm)	435
Packing Height (mm)	665
Power	240V; 1.5kW / 15 A
Warranty	2 Years Return to Base