



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

## Thermaster PWB200 3-Door Pizza Prep Bench – 10×1/3 GN

**Model / SKU: PWB200**

### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: [https://www.foodequipment.com.au/md\\_productpdf/index/generate/product/2764/store/7/](https://www.foodequipment.com.au/md_productpdf/index/generate/product/2764/store/7/)



## Thermaster Three door DELUXE Pizza Prep Bench - PWB200

### Quick Overview

- 10 × 1/3 × 150 mm GN pans\*\*
- Stainless Steel interior & exterior\*
- Gross Volume: 550L
- Temperature Range: 2 to 8 ° C
- The fridge has one level of shelving plus a floor
- Filtered pans with easy-slide Perspex covers\*\*\*
- Secop compressors
- German ÆBM-Pabst fans
- Dixell digital temp. control & read-out
- Internal corners are rounded for hygiene & easy cleaning
- Insulation is CFC & HCFC-free
- Extremely efficient self-closing doors
- Auto defrost
- Self-evaporating drainage
- Aastors
- Gal metal back
- Pans not include

### Description

Thermaster Three Door DELUXE Pizza Prep Bench - PWB200

### Key Features

- 10 × 1/3 × 150 mm GN pans\*\*
- Stainless Steel interior & exterior\*
- Gross Volume: 550L
- Temperature Range: 2 to 8 ° C
- The fridge has one level of shelving plus a floor
- Filtered pans with easy-slide Perspex covers\*\*\*
- Secop compressors
- German ÆBM-Pabst fans

- Dixell digital temp. control & read-out
- Internal corners are rounded for hygiene & easy cleaning
- Insulation is CFC & HCFC-free
- Extremely efficient self-closing doors
- Auto defrost
- Self-evaporating drainage
- Aastors
- Gal metal back
- Pans not include

\*Sliding pan covers must be used to ensure the correct operating temperature Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

|                     |                                                                                                 |
|---------------------|-------------------------------------------------------------------------------------------------|
| Product Condition   | New                                                                                             |
| Doors               | 3                                                                                               |
| Door Type           | Hinged Doors                                                                                    |
| Body                | Stainless Steel                                                                                 |
| Gross Volume        | 550L                                                                                            |
| Temperature Range   | 2 to 8 ° C                                                                                      |
| Net Weight (Kg)     | 152                                                                                             |
| Width (mm)          | 2000                                                                                            |
| Depth (mm)          | 800                                                                                             |
| Height (mm)         | 1000                                                                                            |
| Packing Width (mm)  | 920                                                                                             |
| Packing Depth (mm)  | 2120                                                                                            |
| Packing Height (mm) | 1150                                                                                            |
| Power               | 240V; 561W                                                                                      |
| Warranty            | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |