



Thermaster Three Door Upright Display Fridge - SUCG1500

Quick Overview

- Gross Volume: 1500L
- Temperature Range: 2 to 5 ° C
- Led Lighting
- Embraco Compressors & German Pabst Fans
- Dixell Digital Temp. Controller & Read-Out
- 4 Levels Of Shelving Plus Floor
- Fan-Forced Evaporator Cooling
- Auto Defrost
- Self-Evaporating Drainage
- Insulation Is CFC & HCFC Free
- Extremely Efficient Self-Closing Doors With Locks
- Internal Corners Are Rounded For Hygiene & Easy Cleaning
- Lighting Inside
- Double Glazed Doors
- Stainless Steel Exterior & Interior
- Castors
- Gal Metal Back

Â

Description

Thermaster Three Door Upright Display Fridge - SUCG1500

Key Features

- Gross Volume: 1500L
- Temperature Range: +2 to +5 ° C
- Led Lighting
- Embraco Compressors & German EBM-Pabst fans
- Dixell Digital Temp. Controller & Read-Out

- 4 Levels Of Shelving Plus Floor
- Fan-Forced Evaporator Cooling
- Auto Defrost
- Self-Evaporating Drainage
- Insulation Is CFC & HCFC Free
- Extremely Efficient Self-Closing Doors With Locks
- Internal Corners Are Rounded For Hygiene & Easy Cleaning
- Lighting Inside
- Double Glazed Doors
- Stainless Steel Exterior & Interior
- Castors
- Gal Metal Back
- Certified 3M1 food-safe with a 4 Star GEMS rating.

2 Years Parts and Labour + 2 Years Parts-Only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	3
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	1500L
Temperature Range	+2 to +5 ° C
Total Energy Consumption	13.22 kWh/24h
Net Weight (Kg)	230
Width (mm)	1835
Depth (mm)	760
Height (mm)	1980
Packing Width (mm)	810
Packing Depth (mm)	1880
Packing Height (mm)	2040
Power	240V, 1080W/10AMP
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice