



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Fagor CW-201ERSWS iKORE 20-Tray Combi Oven – 37.2 kW

Model / SKU: CW-201ERSWS

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/4739/product/6425/>

FAGOR IKORE CONCEPT COMBI OVENS

CW-061ERSWS

CW-101ERSWS

CW-201ERSWS



EASY-TO-USE 2.8" ROTARY SCREEN

Simple navigation with rotary knob and push-button for quick configuration and confirmation.



100 PRE-PROGRAMMED RECIPES

Simple navigation with rotary knob and push-button for quick configuration and confirmation.



ADVANCED HUMIDITY CONTROL (ICLIMA)

Simple navigation with rotary knob and push-button for quick configuration and confirmation.



ADVANCED HUMIDITY CONTROL (ICLIMA)

Simple navigation with rotary knob and push-button for quick configuration and confirmation.



AUTOMATIC CLEANING SYSTEM (IWASHING)

Simple navigation with rotary knob and push-button for quick configuration and confirmation.



VERSATILE COOKING MODES

Simple navigation with rotary knob and push-button for quick configuration and confirmation.



FAGOR IKORE CONCEPT COMBI OVENS



CW-061ERSWS



CW-101ERSWS



CW-201ERSWS

Code	Trays*	Dimensions (WxDxH mm)	Weight (kg)	Voltage (V)	Power (kW/A)
CW-061ERSWS	6 x 1/1GN	898x817x846	115	415	11.1/3~N
CW-101ERSWS	10 x 1/1GN	898x817x1117	140	415	18.6/3~N
CW-201ERSWS	20 x 1/1GN	898x817x1841	249	415	37.2/3~N

FEATURES + BENEFITS

- 2.8” screen with rotary knob and push function for configuring and confirming inputs
 - Fagor Recipe Center: 100 factory preset and culinary tested recipes
 - Chamber dehumidification for crispy roasts
 - Delta cooking
 - iClima: Humidity management and control by means of direct measurement with a humidity sensor
 - Air and water cool-down (rapid cabinet cooling function)
- 10% regulation capacity
 - Fagor Recipe Center
 - HACCP record system
 - Cooking modes: low temperature steam 30-98°, steam 99°, super steam 100-130°, mixed 30-300° and convection 30-300°
 - Intuitive Interface, 2.8” screen with rotary knob
 - EZ-Sensor: Multi-point internal probe for accurate temperature monitoring
 - Rapid cool-down by an efficient air and water system
 - HACCP compliance to ensure food safety
- iWashing System for easy solid automatic cleaning system
 - Diverse Cooking Modes – steam and convection (30-300°)
 - Triple-glazed door ensures heat retention and safety
 - iKonnnect Portal optional for enhanced connectivity
 - Possibility of working with one internal probe or external probe
 - Optional Stands Available: YXD-APE-6-SN and YXD-APE-8-SN