



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster CM20G Tropicalised 3 Door Stainless Steel Bar Fridge – 543L | High Ambient,

Model / SKU: CM20G

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/699/store/7/



Thermaster TROPICALISED Three Door Bar Fridge/Cooler - CM20G

Quick Overview

- Gross Volume: 523L
- Net Volume: 346L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: +2 to +8 ° C
- 1030 bench height + 50 mm splashback
- 2 levels of shelving plus floor
- Stainless Steel shelves
- Secop compressor
- Dixell digital temp. controls & read-out
- Fan-forced evaporator cooling
- Internal corners are rounded for hygiene & easy cleaning
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Touch close doors
- Castors
- LED Lighting Inside
- Handy utensil drawer
- gal metal back
- WITH CUTLERY DRAWER

Description

Thermaster TROPICALISED Three Door Bar Fridge/Cooler - CM20G

Key Features

- Gross Volume: 523L
- Net Volume: 346L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: +2 to +8 ° C
- 1030 bench height + 50 mm splashback

- 2 levels of shelving plus floor
- Stainless Steel shelves
- Secop compressor
- Dixell digital temp. controls & read-out
- Fan-forced evaporator cooling
- Internal corners are rounded for hygiene & easy cleaning
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Touch close doors
- Castors
- LED Lighting Inside
- Handy utensil drawer
- gal metal back
- WITH CUTLERY DRAWER

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	3
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	523L
Net Volume	346L
Max Ambient Temperature	30°C, 55%RH
Temperature Range	+2 to +8 ° C
Total Energy Consumption	2.024 kWh/24h
Net Weight (Kg)	150
Width (mm)	2005
Depth (mm)	600
Height (mm)	1080
Packing Width (mm)	630
Packing Depth (mm)	2050
Packing Height (mm)	1060
Power	240V; 360W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice