



Bonvue Heated Food Display - H-SL840V

Quick Overview

- 1200 mm wide
- Gross Volume: 570L
- Temperature Range: 30 to 85 ° C
- Fan-forced thermal air-flow & humidity
- Stainless Steel
- Easy to clean
- Lighting over each level
- Sliding rear doors
- Digital temp. control & read-out
- 3 levels of wired shelving plus floor
- 4 Display Levels
- Black Trim & Shelving

Â

Description

Bonvue Heated Food Display - H-SL840V

If you ' re looking for a stylish and highly practical heated display unit, you ' ve come to the right place at FED. This black trim BonVue heated display unit is a quality-built product and engineered to place your hot foods in the spotlight.

The H-SL series works hand in hand with Bonvue ' s chilled display units, so you can place both displays within the front of your bakery, pizzeria, or takeaway store and decorate your store with a fresh variety of tasty meals.

The H-SL840V preserves your warm foods with consistent temperature levels. It ' s constructed with a stainless-steel exterior frame, three levels of wired shelving, fan-forced thermal airflow, and temp controls.

Brought in from Bonvue, one of the leading brands in reliable, high-functioning kitchen equipment, this heated display is robust, big, and a worthwhile addition to any store desiring that edge.

Key Features

- 1200 mm wide
- Gross Volume: 570L
- Temperature Range: 30 to 85 ° C
- Fan-forced thermal air-flow & humidity
- Stainless Steel
- Easy to clean
- Lighting over each level
- Sliding rear doors
- Digital temp. control & read-out
- 3 levels of wired shelving plus floor

- 4 Display Levels
- Black Trim & Shelving

* This is a hot food holding cabinet only; it is not designed to heat products.

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Sliding Doors
Body	Stainless Steel
Gross Volume	570L
Temperature Range	30 to 85 ° C
Net Weight (Kg)	198
Width (mm)	1200
Depth (mm)	740
Height (mm)	1350
Packing Width (mm)	900
Packing Depth (mm)	1250
Packing Height (mm)	1520
Power	240V; 1248W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice