



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Modular Systems WBB7-2100/A Workbench with Splashback – 2100×700mm

Model / SKU: WBB7-2100/A

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/1234/store/7/



WBB7-2100/A Workbench with Splashback

Quick Overview

All Stainless Steel Workbench with Splashback and Solid Undershelf - WBB7-2100/A

2100mm Wide

Free optional leg brace instead of solid shelf; please specify leg brace on purchase order if required

OPTIONAL DRAWERS AVAILABLE; - See Stainless Steel Accessories

- 700 mm deep × 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs
- Locking drawers available*

Description

All Stainless Steel Workbench with Splashback and Solid Undershelf - WBB7-2100/A

2100mm Wide

Free optional leg brace instead of solid shelf; please specify leg brace on purchase order if required

OPTIONAL DRAWERS AVAILABLE; - See Stainless Steel Accessories

- 700 mm deep × 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs
- Locking drawers available*

Legs

- 1.2 mm S/S; 42 mm Ø
- Fully adjustable S/S polished disc feet that match the legs perfectly
- Castor kits available (lockable)

Benchtops

- 1.2 mm material; SUS304 (18/8)
- Lined with XPS board, 20 mm thick & S/S panel
- Special S/S ' U ' channel reinforcements under
 - As the bench size increases so does the number of channels

Undershelves

- Height of shelf is fully adjustable, also an extra shelf can be added
- 1.2 mm S/S
- Special ' U ' channel reinforcements under to suit the bench type & size, and as the bench size increases so does the ' U ' channel width; S/S 1.2 mm thick

Splashbacks

- Stainless steel backing
- All S/S lined & bevelled
- 150 mm high; 30 mm thick

2 Years Parts only Warranty

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	68.4
Width (mm)	2100
Depth (mm)	700
Height (mm)	900
Packing Width (mm)	770
Packing Depth (mm)	2170
Packing Height (mm)	275
Power	0
Warranty	2 Years Parts Only