

BENCHTOP FILTERED HOOD FAMILY

Operation, installation and filter-care manual



HOOD SERIES

HOOD750A

HOOD1000A

HOOD1200A

HOOD1500A



Three-stage filtration
Stainless steel / polyester / activated carbon

DOCUMENT NOTE

This cover was added for catalogue presentation. The original FED supplier pages follow unchanged.
Use the complete hood model when selecting replacement filters or arranging service.

Product Information



Feature:




- Manufactured in High Grade 304 Stainless Steel
- Good Performance on Anti-Rust & Anti-Acid
- Heavy Gauge Stainless Steel Construction
- Polished to Hairline Finish Interior & Exterior
- Knockdown-able Design, Supplied Flat-Pack
- The Hoods is Specially Design for Countertop Equipment, with Fluorescent Light
- Have 3 Speeds to Choose. Blower is imported from German
- Three Types of Filters to Clean



Have 3 speeds to choose.
Blower is imported form

This type of hood dose not require chimney ,which the smoke does not need to emissions to the outdoor .We have three types of filters to clean the smoke and odor,which is including stainless steel filter ,polyester filter and carbon filter.(Polyester filter and carbon filter are replaceable).

Specifications	Length x Depth x Height (mm)	Airflow (m ³ /h)	Power (W)
HOOD750	750 x 700 x 1150	1060	400
HOOD1000	1000 x 700 x 1150	2120	800
HOOD1200	1200 x 700 x 1150	2120	800
HOOD1500	1500 x 700 x 1150	2120	800



Cleaning

Your Hood has a three stage filter system fitted (Stainless steel, polyester, and activated charcoal)

- The first stage, Stainless Steel filter



The S/S filter is easily removed by sliding it down along the direction that arrow pointed. Please use warm soapy water (non-caustic) for cleaning. Please clean it every fortnight.

- The second stage, Polyester filter



There are two screws fixing polyester filter as circles pointed, please take screws off to remove polyester filter.

Polyester filter is washable, please clean it every fortnight.

-The third stage, Activated Carbon filter.



Carbon filter is not washable, please replace this part every three months.

IMPORTANT NOTE:

- Gloves must be worn while removing and cleaning the hood.
- Polyester and Carbon filters should be replaced no later than every three months based on usage load of 8 hours a day 7 days a week. To order replacement filters please call F.E.D. Spare Department (02) 9772-9900 or fax (02) 9792-3356 or email spare@foodequipment.com.au

For more great F.E.D. products visit our website: www.foodequipment.com.au