



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Tecnodom DO3 Blast Chiller & Shock Freezer – 70L, 3×1/1GN | KW Commercial Kitchen

Model / SKU: DO3

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/2794/store/7/



Tecnodom Blast Chiller & Shock Freezer - DO3

Quick Overview

- Made in Italy
- Built to HACCP specification
- Digital controller with probe and temperature display
- Time evaporator defrosting
- Ambient operating temp. 43Â°C
- Tropicalized
- Ventilated cooling
- Auto defrost
- Suitable for GN 1/1
- Self-evaporating drainage
- Internally constructed for easy cleaning
- Self-closing doors
- Opening the back side and the extractable unit for cleaning
- Can be connected to a remote unit

Â

Description

Tecnodom Blast Chiller & Shock Freezer DO3

Blast chilling and shock freezing are the most effective natural methods to extend the shelf life of food. Blast Chillers make it possible to lower the temperature at the core of foods that have just been cooked, down to +3 °C in less than 90 min. Reducing bacterial proliferation and dehydration of the food. The final result is the preservation of the quality, colour and fragrance of the food, extending its shelf life. All this enables the chef to work with better organisation and more calmness, leaving more time for creativity. They are ideal for commercial business that has a focus on quality, consistency and time management.

Key Features

- Made in Italy
- Built to HACCP specification
- Digital controller with probe and temperature display

- Time evaporator defrosting
- Ambient operating temp. 43°C
- Tropicalized
- Ventilated cooling
- Auto defrost
- Self-evaporating drainage
- Internally constructed for easy cleaning
- Self-closing doors
- Opening the back side and the extractable unit for cleaning
- Can be connected to a remote unit
- Stainless steel interior and exterior, except the external base in galvanised steel
- Rounded internal corners
- Insulation thickness: 40 mm
- Self-closing door with hinges on the left and a magnetic gasket
- Chamber probe.
- Core probe.
- Universal stainless steel pan grids
- Space between grids 70mm
- Internal volume: 70L
- Standard blast freezing to - 18 ° C (food core temperature), with programmable deep-freeze capability down to - 40 ° C.

Exterior: 750mmW × 740D × 720/750H; 30kg Interior: 610mmW × 410D × 280H 240V; 1150W; 10A outlet required • Chill 14kg from +70°C to -3°C • Deep Freeze 8kg from +70°C to -18°C • 3 × 1/1 GN or 600 × 400 EN pans (40 mm deep)

2 Years Parts and Labour Warranty

Your Shipping Specifications

Product Condition	New
Doors	1
Door Type	Hinged Doors
Body	Stainless Steel
Net Weight (Kg)	30
Width (mm)	750
Depth (mm)	740
Height (mm)	720/750
Packing Width (mm)	770
Packing Depth (mm)	780
Packing Height (mm)	920
Power	240V; 1150W; 10A outlet required
Warranty	2 Years Parts and Labour