



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Blizzard SN-25C Underbench Ice Maker – 25Kg/Day, Bullet Ice, Stainless Steel

Model / SKU: SN-25C

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/4426/product/2919/>

Under Bench Ice Makers



ICE MAKER

SN-25C



Maximum Value Output

25 kg/24h



Storage: **15** kg



Bullet Ice
22mmØX40mm

The SN-25C is a compact, high-hardness ice maker that produces bullet, built with a durable AISI304 stainless-steel exterior and an easy-to-reach ON/OFF switch. It features a specialised built-in spray-type evaporator to improve ice clarity and hardness, an air-cooled system, and R290 eco-friendly refrigerant. Designed for hygiene and reliability, it

includes an automatic cleaning system, automatic fault alerts, food-grade materials with international certification, and internal LED lighting. For best-tasting ice and a longer machine lifespan, we recommend pairing it with an FHE water filter and replacing the filter cartridge regularly.



Compact Under-Bench Design

Space-saving footprint fits under standard benches—ideal for bars, cafés, and compact kitchens.



Smart Operation System

Features automatic fault alerts and simple ON/OFF controls for reliable day-to-day operation.



Eco-Friendly Refrigeration

R290 refrigerant delivers efficient cooling with lower environmental impact.



AUS Phone: 1300 659 409
Email: sales@foodequipment.com.au
www.foodequipment.com.au



NZ Phone: 09 415 6470
Email: sales@fedproducts.co.nz
www.fedproducts.co.nz




SN-25C

Under Bench Ice Makers

Fully automatic and accurate control system



Removable water filter



Bullet Ice




High Production Rate & Significant Storage Capacity

LDPE Ice Bin

Control Panel

Ventilation Window Panel



Front Side

Code	Output (kg/24hrs)	Storage (kg)	Water Consumption (kg/24hrs)	Ventilation (cm)	Dimensions (WxDxH mm)	Weight (kg)	Energy Consumption Rate (kwh/100kg ice)	GEMS Approved	Voltage	Power (W/A)
SN-25C	25	15	102	Front > 30, Rear > 20, Sides > 15	375x575x762	39	30.11	True	240	300/10

To ensure we continuously offer the best possible products, we reserve the right to modify specifications without any obligation for equipment previously or subsequently sold