



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster D-GT3 3 Tray Blast Chiller – 33L, GN 2/3 Compatible, Stainless Steel

Model / SKU: D-GT3

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/4819/store/7/



Thermaster Three tray blast chiller 33L D-GT3

Quick Overview

- Gross Volume: 39L
- Net Volume: 33L
- Max Ambient Temperature: 40°C, 40%RH
- Temperature Range: 70 to -18°C
- Fits 2/3 GN pans (pans not included)
- Fast Blast Blast Chiller features
- Built to HACCP specification
- Stainless steel
- Special blast process prevents ice crystallisation from forming, ensuring quicker temperature reduction
- Digital controller with probe and temperature display
- Ambient operating temp. 38°C
- European condenser and evaporating fans
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Internal constructed for easy cleaning
- Self-closing doors

Description

Thermaster Three tray blast chiller 33L D-GT3

Key Features

- Gross Volume: 39L
- Net Volume: 33L
- Max Ambient Temperature: 40°C, 40%RH
- Temperature Range: 70 to -18°C
- Fits 2/3 GN pans (pans not included)
- Fast Blast Blast Chiller features
- Built to HACCP specification
- Stainless steel

- Special blast process prevents ice crystallisation from forming, ensuring quicker temperature reduction
- Digital controller with probe and temperature display
- Ambient operating temp. 38°C
- European condenser and evaporating fans
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Internal constructed for easy cleaning
- Self-closing doors

2 Years Parts and Labour Warranty

Your Shipping Specifications

Product Condition	New
Doors	1
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	39L
Net Volume	33L
Max Ambient Temperature	40°C, 40%RH
Temperature Range	70 to -18°C
Net Weight (Kg)	42
Width (mm)	465
Depth (mm)	678
Height (mm)	701
Packing Width (mm)	750
Packing Depth (mm)	500
Packing Height (mm)	800
Power	240V; 500W/10A
Warranty	2 Years Parts and Labour