



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Fagor EVO-CONCEPT Pass-through Dishwasher - CO-142BDD

Model / SKU: CO-142BDD

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/4890/store/7/



Fagor EVO-CONCEPT Pass-through Dishwasher - CO-142BDD

Quick Overview

- Hood-type dishwasher - EVO Generation - Concept range.
- Hourly production: 65 baskets/hour - 1170 dishes/hour
- Clearance (max ware height): 440mm
- Electronic control
- Wash cycles: 55-75-120 seconds
- Stainless steel
- Counterbalanced hood
- Double rotating wash and rinse systems, made of AISI-304 stainless steel
- Wash pump, 600W each
- Drain pump: 70W drainage cycle
- Tank with capacity: 33 litres
- Boiler heating power: 6kW
- Boiler capacity: 9 litres
- Water consumption: 2.4 liters/rinse
- Thermostatic temperature control: washing at 60° C and rinsing at 90° C
- Thermostop
- Safety thermostats
- Built-in automatic rinse dispenser and detergent doser
- Built-in non-return valve
- Safety magnetic switch for hood opening
- Adjustable legs
- Supplied with 1 base basket; 1 plate basket and 2 cutlery containers
- Water mark certified product sticker
- Can be converted to single-phase
- 415V / 50Hz

Description

Fagor EVO-CONCEPT Pass-through Dishwasher - CO-142BDD

Key Features

- Hood-type dishwasher - EVO Generation - Concept range.
- Hourly production: 65 baskets/hour - 1170 dishes/hour
- Clearance (max ware height): 440mm
- Electronic control
- Wash cycles: 55-75-120 seconds
- Stainless steel
- Counterbalanced hood
- Double rotating wash and rinse systems, made of AISI-304 stainless steel
- Wash pump, 600W each
- Drain pump: 70W drainage cycle
- Tank with capacity: 33 litres
- Boiler heating power: 6kW
- Boiler capacity: 9 litres
- Water consumption: 2.4 liters/rinse
- Thermostatic temperature control: washing at 60 ° C and rinsing at 90 ° C
- Thermostop
- Safety thermostats
- Built-in automatic rinse dispenser and detergent doser
- Built-in non-return valve
- Safety magnetic switch for hood opening
- Adjustable legs
- Supplied with 1 base basket; 1 plate basket and 2 cutlery containers
- Water mark certified product sticker
- Can be converted to single-phase
- 415V / 50Hz

Certified Product

2 Years Parts and Labour Warranty

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	92
Width (mm)	630
Depth (mm)	750
Height (mm)	1465
Packing Width (mm)	905
Packing Depth (mm)	825
Packing Height (mm)	1720
Power	11.1/3-N kW/A
Warranty	2 Years Parts and Labour