



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Fagor CP-G905 Gas Pasta Cooker – 40L Tank / 16kW High-Power / GN 1/1

Model / SKU: CP-G905

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/5272/store/7/



Fagor Kore 900 Series Pasta Cooker - CP-G905

Quick Overview

- Grill x 1
- Size: GN-1/1
- Basket: 3 x 1/3
- NG or LPG
- Surface tops manufactured in 2mm thick 304 stainless steel
- Tanks with 1/1 dimensions, capacity 40 litres. Accommodate different configurations of different-sized baskets
- Standard configuration: three 1/3 type baskets per tank
- Draining of tank using high temperature resistant mechanical ball valve with safety overflow
- Automatic safety system that breaks the circuit if the water runs out
- Controls set on a protective base with a system against water infiltration
- Access the components from the front
- Machines with IPX5 grade water protection
- Gas models with stainless steel burner situated on the outside of the tank with a combustion chamber that allows the tank to be heated from the bottom and sides
- Heating controlled by safety valve

Description

Fagor Kore 900 Series Pasta Cooker - CP-G905

Key Features

- Grill x 1
- Size: GN-1/1
- Basket: 3 x 1/3
- NG or LPG

- Surface tops manufactured in 2mm thick 304 stainless steel
- Tanks with 1/1 dimensions, capacity 40 litres. Accommodate different configurations of different-sized baskets
- Standard configuration: three 1/3 type baskets per tank
- Draining of tank using high temperature resistant mechanical ball valve with safety overflow
- Automatic safety system that breaks the circuit if the water runs out
- Controls set on a protective base with a system against water infiltration
- Access the components from the front
- Machines with IPX5 grade water protection
- Gas models with stainless steel burner situated on the outside of the tank with a combustion chamber that allows the tank to be heated from the bottom and sides
- Heating controlled by safety valve

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Knobs	2 knobs
Width (mm)	400
Depth (mm)	930
Height (mm)	850
Packing Width (mm)	440
Packing Depth (mm)	1020
Packing Height (mm)	1260
Power	16KW
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice