



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Fagor Kore 700 B-G7101 Bench Top Gas Chargrill – 800mm, Made in Spain

Model / SKU: B-G7101

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/6122/store/7/



Fagor Kore 700 Series Bench Top Gas Chargrill - B-G7101

Quick Overview

- Stamped surface tops manufactured in 1.5 mm thick AISI-304 stainless steel
- Laser-cut joints and automatic welding. Hidden screws.
- Fitted with an opening to collect cooking grease and a tray to store it.
- Machines are fitted with removable 130 mm high guards, made of stainless steel to prevent splashes.
- High-temperature enameled cast iron flue protector.
- Access to the components from the front.
- Machines with IPX5 grade water protection.
- Cast Iron grill, dismountable without needing tools, in 170 mm wide sections.
- The cast iron grills are reversible, with different finishes on each side:
 - Tilted and grooved with ridges for meat
 - Horizontal and flat for fish and vegetables
- These grills reach a very high temperature (400 °C), meaning that the product's surface is quickly sealed, but inside, it remains much juicier.
- Groups of three high-efficiency tube burners, with a radiant deflector (a group of three burners for half-sized module models, two groups for whole module models).
- Independent control for each group of burners via a safety valve with a thermocouple.
- Burners turned on using electric multispark ignition. With an access tube for manual ignition.
- The fat collection trays provide the option of adding water into them, and thanks to heat radiated from the gas burners or electrical elements, low-intensity steam is generated, causing the roast to be carried out in a humid environment.

Description

Bench Top Gas Chargrill - B-G7101

- Stamped surface tops manufactured in 1.5 mm thick AISI-304 stainless steel
- Laser-cut joints and automatic welding. Hidden screws.
- Fitted with an opening to collect cooking grease and a tray to store it.
- Machines are fitted with removable 130 mm high guards, made of stainless steel to prevent splashes.
- High-temperature enameled cast iron flue protector.
- Access to the components from the front.

- Machines with IPX5 grade water protection.
- Cast Iron grill, dismountable without needing tools, in 170 mm wide sections.
- The cast iron grills are reversible, with different finishes on each side:
- Tilted and grooved with ridges for meat ·Horizontal and flat for fish and vegetables
- These grills reach a very high temperature (400 °C), meaning that the product's surface is quickly sealed, but inside, it remains much juicier.
- Groups of three high-efficiency tube burners, with a radiant deflector (a group of three burners for half-sized module models, two groups for whole module models).
- Independent control for each group of burners via a safety valve with a thermocouple.
- Burners turned on using electric multispark ignition. With an access tube for manual ignition.
- The fat collection trays provide the option of adding water into them, and thanks to heat radiated from the gas burners or electrical elements, low-intensity steam is generated, causing the roast to be carried out in a humid environment.

•

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Knobs	2 knobs
Net Weight (Kg)	70
Width (mm)	800
Depth (mm)	730
Height (mm)	850
Packing Width (mm)	822
Packing Depth (mm)	840
Packing Height (mm)	1255
Power	50mj/h; 16.2kW
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice