



## TDVB80-CA-125 Vulcano Supermarket 2 Door Display

### Quick Overview

- Easy to install and lower maintenance cost
- Ventilated Cooling System
- Castors
- Climate Class 4, Ambient of 30° C with 55% RH2 plugs (one extra, separate circuit for the tropical tundish), as requested, that runs with a separate element of 1000W, hence the extra 10Amp you find in each model
- 620mm wide Hinge Glass Door
- Top Ceiling LED Light
- Depth of Shelf (mm): 380
- Temperature Range: 0 ~ +4
- Tundish drain required

### Description

Supermarket Refrigerated Display with Glass Doors

Built-in condensing unit, Fitted with Automatic Water Evaporation system with Stainless Steel Serpentine (CG)

Climate Class 4, Ambient of 30 ° C with 55% RH2 plugs (one extra, separate circuit for the tropical tundish) that runs with a separate element of 1000W, hence the extra 10Amp you find in each model Easy to install and lower maintenance cost

- Ventilated Cooling System
- Castor
- 620mm wide Hinge Glass Door
- Display surface: 2,54 m<sup>2</sup>
- Top Ceiling LED Light
- Depth of Shelf (mm): 380
- Temperature Range: 0 ~ +4
- Tundish drain required

2 Years Parts and Labour



Your Shipping Specifications

|                     |                           |
|---------------------|---------------------------|
| Product Condition   | New                       |
| Doors               | 2                         |
| Door Type           | Hinged Doors              |
| Body                | Colorbond                 |
| Net Weight (Kg)     | 210                       |
| Width (mm)          | 1330                      |
| Depth (mm)          | 765                       |
| Height (mm)         | 2130                      |
| Packing Width (mm)  | 880                       |
| Packing Depth (mm)  | 1440                      |
| Packing Height (mm) | 2210                      |
| Power               | 1830W + 1000W (2 x 10Amp) |
| Warranty            | 2 Years Parts and Labour  |