



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Gasmax PC150-9LPG V Pan Pasta Cooker – LPG, 9 Baskets, 34L Capacity

Model / SKU: PC150-9LPG

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/6430/store/7/



Gasmax V Pan LPG 9 Baskets Pasta and Noodle Cooker - PC150-9LPG

Quick Overview

- Gas Type: LPG
- Stainless steel front and sides
- 34L Water Capacity
- 304 stainless steel tank
- Thermostat control range from 93° C to 204° C
- Open Stainless steel fryer pot with cold zone
- Standby Stainless steel pilot for easy start
- 6 inch stainless steel leg
- Millivolt control valve
- Prompt response thermostat ensures fast temperature recovery
- 232° C hi limit for safety
- One 1/4" full port drain valve
- Open pot design features easy cleaning
- Stainless steel hanger plate at the back
- Nine 9" 125mm x 132mm Baskets
- 1" 2 inch NPT rear gas connection

Description

Gasmax V Pan LPG 9 Baskets Pasta and Noodle Cooker - PC150-9LPG

Key Features

- Gas Type: LPG
- Stainless steel front and sides
- 34L Water Capacity
- 304 stainless steel tank
- Thermostat control ranges from 93 ° C to 204 ° C
- Open Stainless steel fryer pot with cold zone
- Standby Stainless steel pilot for easy start
- 6-inch stainless steel leg
- Millivolt control valve

- Prompt response thermostat ensures fast temperature recovery
- 232 ° C high limit for safety
- One 1/4 " full port drain valve
- Open pot design features easy cleaning
- Stainless steel hanger plate at the back
- Nine Ø 125mm x 132mm Baskets
- 1/2 inch NPT rear gas connection
- Front-positioned water inlet
- Water purifying overflow system to remove excessive starch

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	101
Width (mm)	571
Depth (mm)	860
Height (mm)	1293
Packing Width (mm)	540
Packing Depth (mm)	1000
Packing Height (mm)	1221
Power	190 MJ/h
Warranty	2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice