



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Benchstar EF-TE 11L Benchtop Donut Fryer – 3kW, Stainless Steel, 15A

Model / SKU: EF-TE


KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/5052/store/7/



Benchtop Electric Doughnut Fryer - EF-TE

Quick Overview

- Stainless steel structure with drain tap
- Thermostat range 30 - 190°C
- Hi limit switch ensures ongoing safe operation
- Stainless steel tank 400x400mm
- Comes with 2x Nickel coating wire mesh trays
- Wiring bottom grid to filter food waste and protect heater
- Micro-switch for safety of operators
- Heating element stops automatically once lifted up for safer and easier cleaning
- Stainless steel lid with Bakelite handle
- Two used lid: cover during night, draining tray while frying
- Power and heating light indicators
- Heavy duty anti slippery foot

Â

Description

EF-TE Benchtop Electric Donut Fryer

Capacity: 11L Oil

- Stainless steel structure with drain tap
- Thermostat range 30 - 190
- Hi limit switch ensures ongoing safe operation
- Stainless steel tank 400x400mm
- Comes with 2x Nickel coating wire mesh trays
- Wiring bottom grid to filter food waste and protect heater
- Micro-switch for safety of operators
- Heating element stops automatically once lifted up for safer and easier cleaning
- Stainless steel lid with Bakelite handle
- Two used lid: cover during night, draining tray while frying
- Power and heating light indicators
- Heavy duty anti slippery foot

Your Shipping Specifications

Product Condition	New
Knobs	1 knob
Net Weight (Kg)	17
Width (mm)	460
Depth (mm)	620
Height (mm)	355
Packing Width (mm)	620
Packing Depth (mm)	740
Packing Height (mm)	550
Power	240V; 3.0kW; 15A power outlet required
Warranty	1 Year Return to Base