



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bonvue SL830V Chilled Food Display – 900mm, 420L, Triple Glass, LED

Model / SKU: SL830V

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/933/store/7/



Bonvue Chilled Food Display - SL830V

Quick Overview

- Gross Volume: 420L
- Temperature Range: +2 to +8 ° C
- 4 Display Levels
- Black Trim & Shelving
- Triple-glazed front with heated wire filaments to stop condensation
- 900 mm Wide
- Secop Compressors
- German Ebm-Pabst Fans
- Lighting Over Each Level
- Self-Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 3 Levels Of Wired Shelving Plus Floor

Description

Bonvue Chilled Food Display - SL830V

The smaller deluxe display from catering equipment giant, Bonvue, is an ideal cake display fridge necessary for any bakery or cafe wanting to gain the competitive edge. This unit aims to provide an impressive view for showcasing pastries, cakes, wraps, sandwiches, and light meals within a cooled environment.

This deluxe cake display has three adjustable shelves, powerful secop compressors for functionality, a stainless-steel frame for sturdiness, LED lighting to ease interior viewing, digital temperature control, and a triple-glazed front with heated filaments.

Any bakery or café wanting an ideal and perfected cake display unit for their business needs to look no further than the appealing and robust Bonvue deluxe display.

Key Features

- Gross Volume: 420L
- Temperature Range: +2 to +8 ° C
- 4 Display Levels
- Black Trim & Shelving
- Triple-glazed front with heated wire filaments to stop condensation
- 900 mm Wide
- Secop Compressors
- German Ebm-Pabst Fans
- Lighting Over Each Level
- Self-Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 3 Levels Of Wired Shelving Plus Floor

* Also Subject To The Terms In The Warranty Section Of Our Terms & Conditions

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Sliding Doors
Body	Stainless Steel
Gross Volume	420L
Temperature Range	+2 to +8 ° C
Total Energy Consumption	11.18 kWh/24h
Net Weight (Kg)	184
Width (mm)	900
Depth (mm)	740
Height (mm)	1350
Packing Width (mm)	815
Packing Depth (mm)	950
Packing Height (mm)	1520
Power	240V; 544W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice