



Thermaster Under Bench Two Sliding Door Bar Fridge/Cooler - LG-208SC

Quick Overview

- Gross Volume: 188L
- Net Volume: 150L
- Max Ambient Temperature: 38°C; 65%RH
- Temperature Range: +2 to +8 ° C
- Two Levels Of Shelving Plus Floor
- Digital Temp. Control & Read-Out
- Double Glazed Doors
- Self-Closing Doors
- Door Locks
- Auto Defrost
- Light Inside
- Strong Industrial Shelving
- Fully Adjustable Shelves
- 100 mm Wall Clearance Required for Ventilation
- Suitable For Under-Bench Use
- The Largest Range In Australasia

Â

Description

Thermaster Under Bench Two Sliding Door Bar Fridge/Cooler - LG-208SC

The smaller LG-208HC features (twin) glass doors for viewing, and a power of 280/10 W.A. It 's one of Temperature Thermaster ' s most compact and portable units out of their entire commercial refrigeration range.

This black magic bar cooler is ideal for any club, pub, bar, or restaurant seeking a unit that ' s easy to access and serve patrons with fresh beverages, especially in a fast-paced environment.

Check out Thermaster ' s other bar coolers and fridges to select the best size and product for your business.

Key Features

- Gross Volume: 188L
- Net Volume: 150L
- Max Ambient Temperature: 38 ° C 65%RH
- Temperature Range: +2 to +8 ° C
- Two Levels Of Shelving Plus Floor
- Digital Temp. Control & Read-Out
- Double Glazed Doors
- Self-Closing Doors
- Door Locks
- Auto Defrost

- Light Inside
- Strong Industrial Shelving
- Fully Adjustable Shelves
- 100 mm Wall Clearance Required for Ventilation
- Suitable For Under-Bench Use
- The Largest Range In Australasia

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Sliding Doors
Body	Colorbond
Gross Volume	188L
Net Volume	150L
Max Ambient Temperature	38 65%RH
Temperature Range	+2 to +8 ° C
Total Energy Consumption	1.759 kWh/24h
Net Weight (Kg)	75
Width (mm)	900
Depth (mm)	530
Height (mm)	835
Packing Width (mm)	950
Packing Depth (mm)	570
Packing Height (mm)	920
Power	240V; 280W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice