



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster CBR2-2 Flexdrawer Counter – 179 L Dual-Mode Fridge/Freezer

Model / SKU: CBR2-2

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/3608/store/7/



Thermaster Flexdrawer counter 179L - CBR2-2

Quick Overview

- Gross Volume: 179L
- Net Volume: 102L
- Max Ambient Temperature: 40°C, 40%RH
- Temperature Range: -22 to -18 ° C & +2 to +8 ° C
- R290 Natural Refrigerant
- User-friendly controls with LED temperature display
- Change drawer temperature from fridge to freezer at the touch of a button
- Automatic energy-saving hot gas defrost
- Magnetic gaskets can be replaced with any tools
- GN1/1 150mm deep pan capacity maximizes available storage space
- Use R290 Natural Refrigerant.
- 90mm heavy-duty castors with front wheel lock
- Climate Class

Description

Thermaster Flexdrawer counter 179litre CBR2-2

Key Features

- Gross Volume: 179L
- Net Volume: 102L
- Max Ambient Temperature: 40°C, 40%RH
- Temperature Range: -22 to -18 ° C & +2 to +8
- R290 Natural Refrigerant
- User-friendly controls with LED temperature display
- Change drawer temperature from fridge to freezer at the touch of a button
- Automatic energy-saving hot gas defrost
- Magnetic gaskets can be replaced with any tools
- GN1/1 150mm deep pan capacity maximizes available storage space

- Use R290 Natural Refrigerant.
- 90mm heavy-duty castors with front wheel lock
- Climate Class

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Doors	2
Body	Stainless Steel
Gross Volume	179L
Net Volume	102L
Max Ambient Temperature	40°C, 40%RH
Temperature Range	-22 to -18 ° C & +2 to +8
Total Energy Consumption	9.07 kWh/24h
Net Weight (Kg)	0
Width (mm)	905
Depth (mm)	700
Height (mm)	870
Packing Width (mm)	975
Packing Depth (mm)	760
Packing Height (mm)	965
Power	460W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice