



Thermaster Double Door Display Freezer - SUFG1000

Quick Overview

- Gross Volume: 1000L
- Temperature Range: -22 to -18° C
- Led Lighting
- Aspera Compressors & German EBM-Pabst Fans
- Dixell Digital Temp. Controller & Read-Out
- 4 Levels Of Shelving Plus Floor
- Fan-Forced Evaporator Cooling
- Auto Defrost
- Self-Evaporating Drainage
- Insulation Is CFC & HCFC Free
- Extremely Efficient Self-Closing Doors With Locks
- Internal Corners Are Rounded For Hygiene & Easy Cleaning
- Lighting Inside
- Triple Glazed Doors
- Stainless Steel Exterior & Interior
- Castors
- Gal Metal Back

Â

Description

Thermaster Double Door Display Freezer - SUFG1000

Key Features

- Gross Volume: 1000L
- Temperature Range: -22 to -18 ° C
- Led Lighting
- Aspera Compressors & German EBM-Pabst fans
- Dixell Digital Temp. Controller & Read-Out
- 4 Levels Of Shelving Plus Floor
- Fan-Forced Evaporator Cooling
- Auto Defrost
- Self-Evaporating Drainage
- Insulation Is CFC & HCFC Free
- Extremely Efficient Self-Closing Doors With Locks
- Internal Corners Are Rounded For Hygiene & Easy Cleaning
- Lighting Inside
- Triple Glazed Doors
- Stainless Steel Exterior & Interior

- Castors
- Gal Metal Back

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	1000L
Temperature Range	-22 to -18 ° C
Total Energy Consumption	23.74 kWh/24h
Lids	2
Form Factor	Display
Lid Material	Glass
Net Weight (Kg)	182
Width (mm)	1220
Depth (mm)	760
Height (mm)	1980
Packing Width (mm)	840
Packing Depth (mm)	1290
Packing Height (mm)	2030
Power	240V, 1238/W/10A outlet required
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice