



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster TS1500BT Stainless Steel Double Door Workbench Freezer

Model / SKU: TS1500BT

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/4543/store/7/



Thermaster Stainless Steel Double Door Workbench Freezer - TS1500BT

Quick Overview



- 600 Series
- Gross Volume: 283L
- Net Volume: 221L
- Max Ambient Temperature: 32°C
- Temperature Range: -18 to -22 °C
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Heated door frame on freezers
- Internal corners are constructed for easy cleaning
- 100mm wall clearance is required for ventilation
- Castors
- Dimension: 1500mmW x 600D x 810H;
- Power: 240V; 530W; 10A outlet required

Description

Thermaster Stainless Steel Double Door Workbench Freezer - TS1500BT

Features

- 600 Series
- Gross Volume: 283L
- Net Volume: 221L
- Max Ambient Temperature: 32°C
- Temperature Range: -18 to -22 °C
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Heated door frame on freezers
- Internal corners are constructed for easy cleaning
- 100mm wall clearance is required for ventilation
- Castors

- Dimension: 1500mmW×600D×810H;
- Power: 240V; 530W; 10A outlet required

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	283L
Net Volume	221L
Max Ambient Temperature	32°C
Temperature Range	-18 to -22 ° C
Total Energy Consumption	7.51 kWh/24h
Lids	2
Form Factor	Workbench
Lid Material	Solid
Net Weight (Kg)	95
Width (mm)	1500
Depth (mm)	600
Height (mm)	850
Packing Width (mm)	630
Packing Depth (mm)	1540
Packing Height (mm)	900
Power	240V; 530W; 10A Outlet Required
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice