



DSB6-1500L/A Double Left Sink Bench with Pot Undershelf

Quick Overview

All Stainless Steel Double LEFT Sink Bench with Pot Undershelf
-Â DSB6-1500L/A

1500 mm wide

Free optional leg brace instead of pot shelf, please specify leg brace on order if required

• Bowl size 400mmWÃ#x97;400DÃ#x97;300H; 90 mm Ã#x98; drain hole

• 600 mm deep Ã#x97; 900 mm high

• Specially designed for quick & simple assembly

• Comes with instruction manual & tools

• Supplied flat-packed for ease of transport

• 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs

• 1.2 mm S/S

• 15 mm wet edge

• Centre bowl positioning

• Bowls are fully welded, polished inside & out

• 90 mm Ã#x98; drain hole

Splashbacks

• Stainless Steel backed • 150 mm high; 40 mm thick

• Bevelled • fully enclosed

Legs

• 1.2 mm S/S; 42 mm Ã#x98;

• Fully adjustable S/S polished disc feet that match the legs perfectly

• Castor kits available (lockable)

Benchtops

• 1.2 mm material; SUS304 (18/8)

• Lined with XPS board, 15 mm thick & S/S panel

• Special S/S •Ã#x98;U•Ã#x98; channel reinforcements under

- As the bench size increases so does the number of channels

Pot Undershelves

• 1.2mm S/S (18/8)

• Outer frame tubes: 38 Ã#x98; 1.2 mm tube

• Inner tubes: 25 Ã#x98; 1 mm tube with 40 mm spacing

Description

All Stainless DSB6-1500L/A Double Left Sink Bench with Pot Undershelf

1500 mm wide

Free optional leg brace instead of pot shelf, please specify leg brace on order if required

• Bowl size 400mmW × 400D × 300H; 90 mm Ø drain hole

• 600 mm deep × 900 mm high

• Specially designed for quick & simple assembly

- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs
- 1.2 mm S/S
- 15 mm wet edge
- Centre bowl positioning
- Bowls are fully welded, polished inside & out
- 90 mm Ø drain hole

Splashbacks

- Stainless Steel backed • 150 mm high; 40 mm thick
- Bevelled • fully enclosed

Legs

- 1.2 mm S/S; 42 mm Ø
- Fully adjustable S/S polished disc feet that match the legs perfectly
- Castor kits available (lockable)

Benchtops

- 1.2 mm material; SUS304 (18/8)
- Lined with XPS board, 15 mm thick & S/S panel
- Special S/S ' U ' channel reinforcements under
- As the bench size increases so does the number of channels

Pot Undershelves

- 1.2mm S/S (18/8)
- Outer frame tubes: 38 Ø 1.2 mm tube
- Inner tubes: 25 Ø 1 mm tube with 40 mm spacing

2 Years Parts only Warranty

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	36.4
Width (mm)	1500
Depth (mm)	600
Height (mm)	900
Packing Width (mm)	670
Packing Depth (mm)	1570
Packing Height (mm)	530
Power	0
Warranty	2 Years Parts Only