



## FED-X Salad Bench with Stainless Steel Lid - XVRX1500/380S

### Quick Overview

- Net Volume: 6\*GN1/3L
- Max Ambient Temperature: 32°C, 60%RH
- Cooling System: Static cooling
- Temperature Range: +2 to +8 ° C
- Compressor: Donper
- Controller: Dixell
- Stainless steel interior and exterior
- Stainless steel lid
- Heavy-duty condenser fans
- Angled pan positions
- Maximum pan depth: 150mm
- Pan divider included
- Pans are not included

### Description

FED-X Salad Bench with Stainless Steel Lid - XVRX1500/380S

### Key Features

- Net Volume: 6\*GN1/3L
- Max Ambient Temperature: 32 °C, 60%RH
- Cooling System: Static cooling
- Temperature Range: +2 to +8 ° C
- Compressor: Donper
- Controller: Dixell
- Stainless steel interior and exterior
- Stainless steel lid
- Heavy-duty condenser fans
- Angled pan positions
- Maximum pan depth: 150mm
- Pan divider included
- Pans are not included

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

|                         |                                                                                                 |
|-------------------------|-------------------------------------------------------------------------------------------------|
| Product Condition       | New                                                                                             |
| Doors                   | 1                                                                                               |
| Door Type               | Hinged Doors                                                                                    |
| Body                    | Stainless Steel                                                                                 |
| Net Volume              | 6*GN1/3L                                                                                        |
| Max Ambient Temperature | 32 , 60%RH                                                                                      |
| Temperature Range       | +2 to +8 ° C                                                                                    |
| Net Weight (Kg)         | 28                                                                                              |
| Width (mm)              | 1500                                                                                            |
| Depth (mm)              | 395                                                                                             |
| Height (mm)             | 281                                                                                             |
| Packing Width (mm)      | 1590                                                                                            |
| Packing Depth (mm)      | 460                                                                                             |
| Packing Height (mm)     | 460                                                                                             |
| Power                   | 240V; 50V; 10A; 110W                                                                            |
| Warranty                | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |