



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster DC-125B 2-Door Display Fridge – 764L Net

Model / SKU: DC-125B

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au




Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/7146/store/7/



Thermaster Supermarket Panorama 2 Door Chiller Display - DC-125B

Quick Overview

- Gross Volume: 1292L
- Net Volume: 764L
- Power: 550W / 10A
- Ambient Temperature: 25°C, 60%RH
- Temperature Range: +1 to +5 °C
- Energy-saving design
- R290 Natural refrigerant
- R290 Natural refrigerant
- Door size: 611x1653mm, thickness 20mm, self-closing
- Each door bright, clean, and anti-glare, Low-E Glass
- LED lighting on each shelf
- 5-level display shelving, 450mm deep
- Adjustable shelf angle 0 ° | 7 ° | 14 °
- Fan-forced cooling system
- Digital temperature display
- Unit placed on castors for easy mobility
- Pricing strips included as standard

Description

Thermaster Supermarket Panorama 2-Door Chiller Display - DC-125B

Key Features

- Gross Volume: 1292L
- Net Volume: 764L
- Power: 550W / 10A
- Ambient Temperature: 25 °C, 60%RH
- Temperature Range: +1 to +5 °C
- Energy-saving design
- R290 Natural refrigerant
- R290 Natural refrigerant
- Door size: 611x1653mm, thickness 20mm, self-closing

- Each door bright, clean, and anti-glare, Low-E Glass
- LED lighting on each shelf
- 5-level display shelving, 450mm deep
- Adjustable shelf angle 0 ° | 7 ° | 14 °
- Fan-forced cooling system
- Digital temperature display
- Unit placed on castors for easy mobility
- Pricing strips included as standard

Benefits

- Product contents are displayed from the front and two sides
- Frameless glass doors and transparent end walls maximized the display area
- Small base design to reduce floor footprint
- EC fans standard to minimize energy consumption
- Slide out condensing unit for easy after-sales service and cleaning
- Units are flexible and can be joined together

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Hinged Doors
Body	Colorbond
Gross Volume	1292L
Net Volume	764L
Max Ambient Temperature	25 , 60%RH
Temperature Range	-1 to +5 ° C
Total Energy Consumption	6.25 kWh/24h
Net Weight (Kg)	260
Width (mm)	1310
Depth (mm)	740
Height (mm)	2060
Packing Width (mm)	1350
Packing Depth (mm)	767
Packing Height (mm)	2240
Power	Power: 550W / 10A
Warranty	2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice