



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Tecnodom TDEVO-120S EVO Grab'n Go Curved Display – Self-Serve, +3°C to +5°C

Model / SKU: TDEVO-120S

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/6381/store/7/



Tecnodom EVO Grab'n Go Self Serve Curve Display TDEVO-120S

Quick Overview

- Self Serve Open Food & Beverage Display ideal for placement in narrow spaces
- Efficient and reliable refrigeration system
- Low energy consumption and low environmental impact
- Tempered double glazing side and air deflector glass
- Perforated back and interior ceiling for improved air circulation
- Removable lower display shelves
- 3 Stainless steel adjustable shelves
- Four LED lights (ceiling top + 3 shelves)
- Electronic control panel
- Off-cycle defrosting
- Suitable for displaying: Gastronomy, packaged snack and pastry, beverage, cold cuts, dairy products
- Temperature range: +3--+5
- Ambient/Rh%: 30/55
- Display surface (m²): 1.41
- Four lockable castors

Description

Tecnodom EVO Grab'n Go Self-Serve Curve Display TDEVO-120S

Key Features

- Self Serve Open Food & Beverage Display ideal for placement in narrow spaces
- Efficient and reliable refrigeration system
- Low energy consumption and low environmental impact
- Tempered double-glazing side and air deflector glass
- Perforated back and interior ceiling for improved air circulation
- Removable lower display shelves
- 3 Stainless steel adjustable shelves
- Four LED lights (ceiling top + 3 shelves)
- Electronic control panel
- Off-cycle defrosting
- Suitable for displaying: Gastronomy, packaged snacks, and pastry, beverages, cold cuts, dairy products

- Temperature range: +3~+5
- Ambient/Rh%: 30/55
- Display surface (m²): 1.41
- Four lockable castors

2 Years Parts and Labour Warranty

Your Shipping Specifications

Product Condition	New
Body	Stainless Steel
Net Weight (Kg)	195
Width (mm)	1205
Depth (mm)	800
Height (mm)	1520
Packing Width (mm)	880
Packing Depth (mm)	1300
Packing Height (mm)	1720
Power	240 V; 1.15kW / 10A
Warranty	2 Years Parts and Labour