



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster PG180FA-XG Cold Salad & Noodle Bar – 800L, 5×1/1 GN

Model / SKU: PG180FA-XG

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/4424/product/7531/>

PREMIUM NOODLE & COLD SALAD BARS PGFA-XG SERIES

PG150FA-XG/PG180FA-XG/
PG210FA-XG



KEY FEATURES



FAN FORCED COOLING PERFORMANCE

Fan forced cooling ensures even temperature distribution, helping keep ingredients fresh for longer.



BUILT FOR COMMERCIAL DURABILITY

Full stainless steel construction ensures long-lasting strength, easy cleaning, and professional presentation in busy kitchen environments.



EFFICIENT PREP STATION DESIGN

Integrated chopping board and GN pan layout create a practical workspace for preparing salads, noodles, sandwiches, and fresh dishes.



FLEXIBLE & MOBILE INSTALLATION

Mounted on castors and designed to fit GN pans up to 150mm deep, making it easy to integrate into different kitchen layouts.



PG150FA-XG



PG180FA-XG



PG210FA-XG





PGFA-XG SERIES

PREMIUM NOODLE & COLD SALAD BARS

FEATURES

4-6 PAN CAPACITY (DEPENDING ON CONFIGURATION)

1/1 pan dividers
included, Fits GN pans
up to 150 mm deep.

220MM DEEP PE CHOPPING BOARD



Built directly into
the unit.

ALL STAINLESS STEEL BODY

For hygiene and
long service life.

HINGED DOORS WITH INTERNAL STORAGE SHELF

For ingredients and
kitchen supplies.



PG150FA-XG

PG180FA-XG

PG210FA-XG

Side view

Code	Litre	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range °C	Ambient °C/ RH%	Voltage	Power (W/A)
2 Door - 4x1/1 pans							
PG150FA-XG	600	1460x790x1280	164	+1 to +5	38/50	240	580/10
2 Door - 5x1/1 pans							
PG180FA-XG	800	1800x790x1280	179	+1 to +5	38/50	240	645/10
2 Door - 6x1/1 pans							
PG210FA-XG	1000	2140x790x1280	200	+1 to +5	38/50	240	662/10



AUS Phone: 1300 659 409
Email: sales@foodequipment.com.au
www.foodequipment.com.au



NZ Phone: 09 415 6470
Email: sales@fedproducts.co.nz
www.fedproducts.co.nz