



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Gasmax GG-48 4-Burner Natural Gas Griddle

Model / SKU: GG-48

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/5295/store/7/



Gasmax Four burner NG Griddle Top - GG-48

Quick Overview

- Stainless Steel Construction
- Natural Gas
- Four Heavy Duty Burners
- Steel u-shape burner, each 30mj/hr for better heat distribution
- Flame failure system for safety
- Adjustable heavy-duty legs
- Grease through the channel at the front
- Stainless steel oil collector at the bottom
- Durable brass control valve
- Easy gas conversion in the field
- 3/4-inch rear gas connection
- Stainless Steel Splashback
- Stainless steel splash guard at 3 sides
- 22mm heavy-duty mild steel plate
- LPG Model Or Option Kit Not Available In New Zealand

Description

Gasmax Four burner NG Griddle Top - GG-48

Key Features

- Stainless Steel Construction
- Natural Gas
- Four Heavy Duty Burners
- Steel u-shape burner, each 30mj/hr for better heat distribution
- Flame failure system for safety
- Adjustable heavy-duty legs
- Grease through the channel at the front
- Stainless steel oil collector at the bottom
- Durable brass control valve
- Easy gas conversion in the field

- 3/4-inch rear gas connection
- Stainless Steel Splashback
- Stainless steel splash guard at 3 sides
- 22mm heavy-duty mild steel plate
- LPG Model Or Option Kit Not Available In New Zealand

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Knobs	4 knobs
Net Weight (Kg)	152
Width (mm)	1200
Depth (mm)	824
Height (mm)	546
Packing Width (mm)	1335
Packing Depth (mm)	890
Packing Height (mm)	520
Power	120MJ/h
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice