



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bonvue SL840 New 1200mm Chilled Food Display

Model / SKU: SL840

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/942/store/7/



Bonvue Chilled Food Display - SL840

Quick Overview

- Triple-glazed front with heated wire filaments to stop condensation
- Gross Volume: 430L
- Temperature Range: 2 to 8°C
- Secop compressors
- German EBM-Pabst fans
- Lighting over each level
- Self-evaporating drainage
- Digital temp. control & read-out
- Sliding rear glass doors
- Easy to clean
- 3 levels of wired shelving plus floor
- 1200 mm wide Chilled Curved Glass Stainless Steel Food Display
- 4 Display Levels
- Black Trim & Shelving

Description

Bonvue Chilled Food Display - SL840

Key Features

- Triple-glazed front with heated wire filaments to stop condensation
- Gross Volume: 430L
- Temperature Range: 2 to 8°C
- Secop compressors
- German EBM-Pabst fans
- Lighting over each level
- Self-evaporating drainage
- Digital temp. control & read-out
- Sliding rear glass doors
- Easy to clean
- 3 levels of wired shelving plus floor
- 1200 mm wide Chilled Curved Glass Stainless Steel Food Display

- 4 Display Levels
- Black Trim & Shelving

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Sliding Doors
Body	Stainless Steel
Gross Volume	430L
Temperature Range	30 to 85 ° C
Total Energy Consumption	13.8 kWh/24h
Net Weight (Kg)	208
Width (mm)	1200
Depth (mm)	740
Height (mm)	1350
Packing Width (mm)	815
Packing Depth (mm)	1250
Packing Height (mm)	1520
Power	240V; 710W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice