



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bonvue SG150FA-2XB Chilled Food Display – 1500mm, 600L | KW Commercial Kitchen

Model / SKU: SG150FA-2XB

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/922/store/7/



Bonvue Chilled Food Display - SG150FA-2XB

Quick Overview

- Gross Volume: 600L
- Temperature Range: 2 to 8° C
- Black Trim & Shelving
- 3 Display Levels
- 1500 mm Wide
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Secop Compressors
- German ࢻm-Pabst Fans
- Illuminated Front Panel
- Lighting Over Each Level
- Self-Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 2 Levels Of Wired Shelving Plus Floor

Description

Bonvue Chilled Food Display - SG150FA-2XB

This impressive cake display has two levels of shelving, strong secop compressors for functionality, LED lighting to see inside the interior, self-evaporating drainage to remove moisture, digital temperature control, sliding glass rear doors, triple glazed front with heated filaments – all encased within a stainless-steel framework.

These chilled cake displays are great for bakeries, health food stores, takeaway shops, and cafes serving, presenting, and keeping cakes, pastries, salads, wraps, sandwiches, and other light meals cool and fresh.

Key Features

- Gross Volume: 600L
- Temperature Range: 2 to 8 ° C
- Black Trim & Shelving
- 3 Display Levels
- 1500 mm Wide
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Secop Compressors
- German Ebm-Pabst Fans
- Illuminated Front Panel
- Lighting Over Each Level
- Self-Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 2 Levels Of Wired Shelving Plus Floor

* Also Subject To The Terms In The Warranty Section Of Our Terms & Conditions

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Sliding Doors
Body	Stainless Steel
Gross Volume	600L
Temperature Range	2 to 8 ° C
Total Energy Consumption	11.62 kWh/24h
Net Weight (Kg)	228
Width (mm)	1500
Depth (mm)	700
Height (mm)	1250
Packing Width (mm)	770
Packing Depth (mm)	1550
Packing Height (mm)	1400
Power	240V; 825W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice