



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bonvue SG090FA-2XB Chilled Food Display – 900mm, 340L

Model / SKU: SG090FA-2XB

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/920/store/7/



Bonvue Chilled Food Display - SG090FA-2XB

Quick Overview

- Gross Volume: 340L
- Temperature Range: 2 to 8° C
- 900 mm Wide
- 3 Display Levels
- Black Trim & Shelving
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Secop Compressors
- German ࢻm-Pabst Fans
- Illuminated Front Panel
- Lighting Over Each Level
- Self-Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 2 Levels Of Wired Shelving Plus Floor

Description

Bonvue Chilled Food Display - SG090FA-2XB

This smaller Bonvue chilled cake display comes to us from Bonvue, one of the premium catering equipment brands in the business. This cake display aims to provide an eye-catching space to present your culinary work, straight from the kitchen.

This impressive cake display has two levels of shelving, strong secop compressors for functionality, LED lighting to see inside the interior, self-evaporating drainage to remove moisture, digital temperature control, sliding glassed rear doors, triple glazed front with heated filaments – all encased within a stainless-steel framework.

Key Features

- Gross Volume: 340L
- Temperature Range: 2 to 8 ° C
- 900 mm Wide
- 3 Display Levels
- Black Trim & Shelving
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Secop Compressors
- German Ebm-Pabst Fans
- Illuminated Front Panel
- Lighting Over Each Level
- Self-Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 2 Levels Of Wired Shelving Plus Floor

* Also Subject To The Terms In The Warranty Section Of Our Terms & Conditions

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Sliding Doors
Body	Stainless Steel
Gross Volume	340L
Temperature Range	2 to 8 ° C
Total Energy Consumption	10.9 kWh/24h
Net Weight (Kg)	167
Width (mm)	900
Depth (mm)	700
Height (mm)	1250
Packing Width (mm)	770
Packing Depth (mm)	950
Packing Height (mm)	1440
Power	240V; 544W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice