



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

FED-X XPA800TN Bakery Chiller Cabinet – 737L, GN Compatible

Model / SKU: XPA800TN

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/7702/store/7/



FED-X Bakery Chiller Cabinet - XPA800TN

Quick Overview

- Gross Volume: 737L
- Net Volume: 612L
- Max. Ambient Temp/RH%: 43°C; RH=70%
- Temperature range: -2 to 5°C
- Stainless steel is used for interior and exterior, with a round corner at the bottom for easy cleaning.
- Compatible with 10 adjustable 600mm x 800mm pans
- Self-closing door with fan and light switch
- Replaceable magnetic door seal on the castor
- Door lock
- Stainless Steel interior and exterior
- Reversible Self-closing door
- Easy to clean
- Internal LED lighting
- Fan-forced cooling
- Automatic defrost
- CFC Free 60mm insulation
- Dixell digital temp. controls and read-out
- R290 natural refrigerant
- See the food pan section for baking trays

Description

FED-X Bakery Chiller Cabinet - XPA800TN

Key Features:

- Gross Volume: 737L
- Net Volume: 612L
- Max Ambient Temperature: 43°C, RH=70%
- Temperature range: -2 to 5°C
- Stainless steel is used for interior and exterior, with a round corner at the bottom for easy cleaning.
- Compatible with 10 adjustable 600mm x 800mm pans
- Self-closing door with fan and light switch
- Replaceable magnetic door seal on the castor
- Door lock

- Stainless Steel interior and exterior
- Reversible Self-closing door
- Easy to clean
- Internal LED lighting
- Fan-forced cooling
- Automatic defrost
- CFC Free 60mm insulation
- Dixell digital temp. controls and read-out
- R290 natural refrigerant
- See the food pan section for baking trays

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice

Your Shipping Specifications

Product Condition	New
Gross Volume	737L
Net Volume	612L
Max Ambient Temperature	43°C, 70%RH
Temperature Range	-2 to 5°C
Total Energy Consumption	2.993 kWh/24h
Net Weight (Kg)	134
Width (mm)	740
Depth (mm)	990
Height (mm)	2010
Packing Width (mm)	1015
Packing Depth (mm)	765
Packing Height (mm)	2070
Power	240V, 295W/10A
Warranty	2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice