



FED-X Bakery Freezer Cabinet - XPA800BT

Quick Overview

- Gross Volume: 737L
- Net Volume: 612L
- Max Ambient Temperature: 43°C, RH=70%
- Temperature Range: -18 to -22°C;
- Stainless steel is used for the interior and exterior, with a round corner at the bottom for easy cleaning.
- Compatible with 10 adjustable 600mm x 800mm pans
- Self-closing door with fan and light switch
- Replaceable magnetic door seal on the castor
- Door lock
- Stainless Steel interior and exterior
- Reversible Self-closing door
- Easy to clean
- Internal LED lighting
- Fan-forced cooling
- Automatic defrost
- CFC Free 60mm insulation
- Dixell digital temp. controls and read-out
- R290 natural refrigerant
- See the food pan section for baking trays

Description

FED-X Bakery Chiller Cabinet - XPA800BT

Key Features

- Gross Volume: 737L
- Net Volume: 612L
- Max Ambient Temperature: 43°C, 70%RH
- Temperature Range: -18 to -22
- Stainless steel is used for the interior and exterior, with a round corner at the bottom for easy cleaning.

- Compatible with 10 adjustable 600mm x 800mm pans
- Self-closing door with fan and light switch
- Replaceable magnetic door seal on the castor
- Door lock
- Stainless Steel interior and exterior
- Reversible Self-closing door
- Easy to clean
- Internal LED lighting
- Fan-forced cooling
- Automatic defrost
- CFC Free 60mm insulation
- Dixell digital temp. controls and read-out
- R290 natural refrigerant
- See the food pan section for baking trays

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice

Your Shipping Specifications

Product Condition	New
Gross Volume	737L
Net Volume	612L
Max Ambient Temperature	43 , 70%RH
Temperature Range	-18 to -22
Total Energy Consumption	7.32 kWh/24h
Net Weight (Kg)	183
Width (mm)	740
Depth (mm)	990
Height (mm)	2000
Packing Width (mm)	1015
Packing Depth (mm)	765
Packing Height (mm)	2070
Power	240V, 520W/10A
Warranty	2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice