



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Tyrone B80GX Heavy Duty Planetary Mixer – 80L, 10 Speed, 2.5kW

Model / SKU: B80GX


KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/7717/store/7/



Tyrone Heavy Duty Planetary Mixer 80L - B80GX

Quick Overview

- HEAVY DUTY PLANETARY MIXER
- Transmission: Belt and Variable Frequency Drive
- The full body is made of steel material and scratch-resistant materials
- 10 variable speeds available
- Able to memorize the user's preferred mixing speed
- Digital timer
- Safety guard included
- Includes wire whisk, dough hook, and flat beater
- B60GX and B80GX, including automatic bowl positioning adjustment with trolley
- Various built-in protection programs, such as overload protection and overheating protection
- Able to tolerate large current fluctuations and avoid motor damage
- Moisture & Corrosion resistant
- Power system generates lower heat
- Patented power system results in lower noise levels
- Simple control panel
- Front-mounted controls
- Error code system
- Easy to Clean

Description

Tyrone Heavy Duty Planetary Mixer 80L - B80GX

Key Features

- HEAVY DUTY PLANETARY MIXER
- Transmission: Belt and Variable Frequency Drive
- The full body is made of steel material and scratch-resistant materials
- 10 variable speeds available

- Able to memorize the user's preferred mixing speed
- Digital timer
- Safety guard included
- Includes wire whisk, dough hook, and flat beater
- B60GX and B80GX, including automatic bowl positioning adjustment with trolley
- Various built-in protection programs, such as overload protection and overheating protection
- Able to tolerate large current fluctuations and avoid motor damage
- Moisture & Corrosion resistant
- Power system generates lower heat
- Patented power system results in lower noise levels
- Simple control panel
- Front-mounted controls
- Error code system
- Easy to Clean

1 Year Parts & Labour Plus 1 Year Parts Only Warranty When Products Registered Within 14D Of Invoice

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	348
Width (mm)	847
Depth (mm)	945
Height (mm)	1477
Packing Width (mm)	870
Packing Depth (mm)	1110
Packing Height (mm)	1620
Power	415V, 2500W/3N
Warranty	1 Year Parts & Labour Plus 1 Year Parts Only Warranty When Products Registered Within 14D Of Invoice