



Bonvue Chilled Angled Counter-Top Food Display - CTA-196

Quick Overview

- **Eco-Friendly Efficiency:** Utilizes natural R290 refrigerant, with an exceptional 9 or 10-star GEMS energy rating
- **Enhanced Product Showcase:** Offers a larger display area than competitors, featuring an additional shelf for more display space
- **Bright LED Lighting:** Dual-sided LED lights create an attractive presentation of contents
- **Precision Temperature Control:** Digital temperature controller for accurate adjustments
- **Extra Shelving Advantage:** Comes with three adjustable chrome-plated shelves, maximizing display variety
- **Robust Glass Insulation:** All sides encased in double tempered glass for safety and thermal efficiency
- **Reliable Cooling System:** Ventilating cooling ensures a consistently chilled environment
- **Automatic Defrost Function:** Streamlines upkeep by preventing ice build-up
- **Effective Condensation Removal:** Three-side airducts adeptly manage moisture, keeping the view unobstructed
- **Convenient Access:** Rear sliding doors provide smooth restocking and service
- **Temperature Range:** 2 to + 12
- **Ambient/RH%:** 30/50

Description

Bonvue Chilled Angled Counter-Top Food Display CTA-196

This countertop display unit stands out in the market with its significantly larger display area and an extra shelf, allowing businesses to showcase a greater variety of products prominently.

Key Features

- **Eco-Friendly Efficiency:** Utilizes natural R290 refrigerant, with an exceptional 9 or 10-star GEMS energy rating
- **Enhanced Product Showcase:** Offers a larger display area than competitors, featuring an additional shelf for more display space
- **Bright LED Lighting:** Dual-sided LED lights create an attractive presentation of contents
- **Precision Temperature Control:** Digital temperature controller for accurate adjustments
- **Extra Shelving Advantage:** Comes with three adjustable chrome-plated shelves, maximizing display variety
- **Robust Glass Insulation:** All sides encased in double tempered glass for safety and thermal efficiency
- **Reliable Cooling System:** Ventilating cooling ensures a consistently chilled environment
- **Automatic Defrost Function:** Streamlines upkeep by preventing ice build-up
- **Effective Condensation Removal:** Three-side airducts adeptly manage moisture, keeping the view unobstructed
- **Convenient Access:** Rear sliding doors provide smooth restocking and service
- **Temperature Range:** 2 to + 12
- **Ambient/RH%:** 30/50

1 Year Parts and Labour Warranty

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Sliding Doors
Body	Stainless Steel
Gross Volume	196L
Max Ambient Temperature	30°C, 50%RH
Temperature Range	+2 to + 12 ° C
Net Weight (Kg)	64
Width (mm)	795
Depth (mm)	560
Height (mm)	874
Packing Width (mm)	630
Packing Depth (mm)	845
Packing Height (mm)	950
Power	240V, 200W/10A
Warranty	1 Year Parts and Labour Warranty