



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

FED-X XGNS900E Two Door Salad Prep Fridge – 240L, Marble Top, R600a

Model / SKU: XGNS900E

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/5208/store/7/



FED-X Two Door Salad Prep Fridge with Marble Top - XGNS900E

Quick Overview

- Gross Volume: 240L
- Net Volume: 180L
- Max Ambient Temperature: 38°C, 60%RH
- Temperature Range: +2 to +8 ° C
- Cooling System: Fan assisted
- Compressor: Embraco/Secop
- Controller: Dixell
- Weight loading per shelf: 40kg
- Refrigerant: R600A
- Dimensions (Internal): 830mm W x 595mm D x 455mm H



Description

FED-X Two Door Salad Prep Fridge with Marble Top - XGNS900E

Key Features

This Salad bar fridge prep is the ideal choice for small and medium businesses that need performance, professional-grade commercial refrigeration. With 3 solid Stainless steel doors, it's compact, so you can make the most of your workspace and kitchen. It also features an easy-to-clean marble serving area for the server.

In addition, this unit features a Stainless steel shelf on top, which is over the area that holds 5 x 1/6th Gn pans so you have easy access to your ingredients, garnishes, toppings, sauces, and condiments to streamline your food preparation.

With its compact size and generous compartments, it is ideal for restaurants, cafes, clubs, pubs, bars, and offices.

The heavy-duty magnetic door seals are designed to ensure optimal cooling. Constructed using durable and easy-to-clean stainless steel inside and out. The internal area features rounded corners, making it super easy to clean this compact unit. This unit is GN pan compatible and comes with a single shelf but you can opt for additional slides so your Gn pans just slide in and out.

This worktop bench fridge 's build quality, specifications, and functionality meet food, health, and safety standards.

***The unit** can be placed against the wall.

***Pans and lids** are not included.

***Pan and pan cover** must be used to ensure the correct operating temperature.

***Storage area under** is 1/1 Gn pan compatible

- Gross Volume: 240L
- Net Volume: 180L
- Max Ambient Temperature: 38°C, 60%RH
- Temperature Range: +2 to +8 ° C
- Cooling System: Fan-assisted
- Compressor: Embraco/Secop
- Controller: Dixell
- Weight loading per shelf: 40kg
- Refrigerant: R600A
- Dimensions (Internal): 830mm W x 595mm D x 455mm H

MAIN FEATURES

- Stainless steel interior and exterior with rounded corners for easy cleaning
- Open cooling top compatible with GN1/6 pans (Pans and lids are not included)
- 1 * GN1/1 shelf per door
- Replaceable magnetic door. User-friendly Digital controls
- Granite stone worktop
- Pan and pan cover must be used to ensure the operating temperature
- The unit can be placed against the wall

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	240L
Net Volume	180L
Max Ambient Temperature	38°C, 60%RH
Temperature Range	+2 to +8 ° C
Net Weight (Kg)	106
Width (mm)	903
Depth (mm)	700
Height (mm)	1107
Packing Width (mm)	930
Packing Depth (mm)	730
Packing Height (mm)	1260
Power	240V, 170W/1.2A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice