



## TROPICAL Thermaster 3 Door SS Fridge 1500L - SUC1500

### Quick Overview

- Gross Volume: 1500L
- Net Volume: 1069L
- Temperature Range: 2 to 8° C
- 1500Litre, 3 x Full Doors
- TROPICAL thermaster
- STAINLESS STEEL EXTERIOR & INTERIOR\*
- Refrigerated &#x80;c 2 to 8° C
- Secop compressors & German &#x8B;BM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- Castors
- gal metal back

### Description

TROPICAL Thermaster 3 Door SS Fridge 1500L - SUC1500

### Key Features

- Gross Volume: 1500L
- Net Volume: 1069L
- Temperature Range: +2 to +8 ° C
- 3 x Full Doors
- TROPICAL thermaster
- STAINLESS STEEL EXTERIOR & INTERIOR\*
- Secop compressors & German EBM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor

- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- Castors
- gal metal back
- Certified 4M1 food-safe with a 2 Star GEMS rating

2 Years Parts and Labour + 2 years parts-only warranty with Product Registration

Your Shipping Specifications

|                          |                                                                                                 |
|--------------------------|-------------------------------------------------------------------------------------------------|
| Product Condition        | New                                                                                             |
| Doors                    | 3                                                                                               |
| Door Type                | Hinged Doors                                                                                    |
| Body                     | Stainless Steel                                                                                 |
| Gross Volume             | 1500L                                                                                           |
| Net Volume               | 1069L                                                                                           |
| Temperature Range        | +2 to +8 ° C                                                                                    |
| Total Energy Consumption | 5.21 kWh/24h                                                                                    |
| Net Weight (Kg)          | 213                                                                                             |
| Width (mm)               | 1835                                                                                            |
| Depth (mm)               | 760                                                                                             |
| Height (mm)              | 1980                                                                                            |
| Packing Width (mm)       | 810                                                                                             |
| Packing Depth (mm)       | 1880                                                                                            |
| Packing Height (mm)      | 2040                                                                                            |
| Power                    | 240V; 936W                                                                                      |
| Warranty                 | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |