



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Food Tek FED CPWK007-28 Insulated Top Loading Food Carrier – 6.8L Thermal Transport

Model / SKU: CPWK007-28


KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/654/store/7/



Modular System Insulated Top Loading Food Carrier - CPWK007-28

Quick Overview

- Exterior: 440mmW×380D×205H
- Interior: 305mmW×245D×100H
- Made from high-quality long-life Food Grade Polyethylene (PE)
- alkaline resistant
- shock resistant
- safe use range: -40 to +80°C
- easy to clean
- double-thickness PE structure filled with polyurethane foam
- door gaskets to minimise heat/cold loss
- pressure relief valve for easy opening Our carriers are attractive, durable, practically unbreakable & will leave no taste or odour in foods

Â

Description

Modular System Insulated 6.8 Litre Top Loading Food Carrier - CPWK007-28

- Exterior: 440mmW×380D×205H
- Interior: 305mmW×245D×100H
- Made from high-quality long-life Food Grade Polyethylene (PE)
- alkaline resistant
- shock resistant
- safe use range: -40 to +80°C
- easy to clean
- double-thickness PE structure filled with polyurethane foam
- door gaskets to minimise heat/cold loss
- pressure relief valve for easy opening Our carriers are attractive, durable, practically unbreakable & will leave no taste or odour in foods

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	3.8
Width (mm)	440
Depth (mm)	380
Height (mm)	205
Packing Width (mm)	390
Packing Depth (mm)	450
Packing Height (mm)	230
Power	0
Warranty	1 Year Parts Only