



Modular System Insulated Top Loading Food Carrier - CPWK007-28

Quick Overview

- Exterior: 440mmW x 380D x 205H
- Interior: 305mmW x 245D x 100H
- Made from high-quality long-life Food Grade Polyethylene (PE)
- alkaline resistant
- shock resistant
- safe use range: -40 to +80°C
- easy to clean
- double-thickness PE structure filled with polyurethane foam
- door gaskets to minimise heat/cold loss
- pressure relief valve for easy opening Our carriers are attractive, durable, practically unbreakable & will leave no taste or odour in foods

Â

Description

Modular System Insulated 6.8 Litre Top Loading Food Carrier - CPWK007-28

- Exterior: 440mmW x 380D x 205H
- Interior: 305mmW x 245D x 100H
- Made from high-quality long-life Food Grade Polyethylene (PE)
- alkaline resistant
- shock resistant
- safe use range: -40 to +80°C
- easy to clean
- double-thickness PE structure filled with polyurethane foam
- door gaskets to minimise heat/cold loss
- pressure relief valve for easy opening Our carriers are attractive, durable, practically unbreakable & will leave no taste or odour in foods

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	3.8
Width (mm)	440
Depth (mm)	380
Height (mm)	205
Packing Width (mm)	390
Packing Depth (mm)	450
Packing Height (mm)	230
Power	0
Warranty	1 Year Parts Only