



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster GNS900B Two Door Workbench Fridge – 257L, Fan Cooling

Model / SKU: GNS900B

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/1090/store/7/



GNS900B Two Door Compact Workbench Fridge

Quick Overview

- Gross Volume: 257L
- Net Volume: 160L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: -2 to 8 ° C
- Stainless Steel Interior & Exterior
- Can Be Positioned Against Walls
- Panasonic Designed Compressors
- On Castors
- Digital Temp. Controls With LED Display
- Castors
- One Level Of Shelving Plus Floor
- Fan-Assisted Cooling
- Auto Defrost
- Self-Evaporating Drainage
- Touch Close Doors
- Internal Corners Rounded For Hygiene & Easy Cleaning
- Stainless Steel Framework
- Gal Metal Back

Â

Description

GNS900B Two Door Compact Workbench Fridge

Key Features

- Gross Volume: 257L
- Net Volume: 160L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: -2 to 8 ° C

- Stainless Steel Interior & Exterior
- Can Be Positioned Against Walls
- Panasonic Designed Compressors
- On Castors
- Digital Temp. Controls With LED Display
- Castors
- One Level Of Shelving Plus Floor
- Fan-Assisted Cooling
- Auto Defrost
- Self-Evaporating Drainage
- Touch Close Doors
- Internal Corners Rounded For Hygiene & Easy Cleaning
- Stainless Steel Framework
- Gal Metal Back

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	257L
Net Volume	160L
Max Ambient Temperature	30°C, 55%RH
Temperature Range	-2 to 8 ° C
Total Energy Consumption	2.38 kWh/24h
Net Weight (Kg)	0
Width (mm)	903
Depth (mm)	700
Height (mm)	892
Packing Width (mm)	700
Packing Depth (mm)	903
Packing Height (mm)	870
Power	240V; 155W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice