



WB6-2100/A Stainless Steel Workbench

Quick Overview

All Stainless Steel Flat Workbench with solid undershelf - WB6-2100/A

2100mm Wide

Free optional leg brace instead of solid shelf; please specify leg brace on purchase order if required

OPTIONAL DRAWERS AVAILABLE; - See Stainless Steel Accessories

• 600 mm deep • 900 mm high

• Specially designed for quick & simple assembly

• Comes with instruction manual & tools

• Supplied flat-packed for ease of transport

• 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs

• Locking drawers available*

Legs

• 1.2 mm S/S; 42 mm •

• Fully adjustable S/S polished disc feet that match the legs perfectly

• Castor kits available (lockable)

Benchtops

• 1.2 mm material; SUS304 (18/8)

• Lined with XPS board, 20 mm thick & S/S panel

• Special S/S •; channel reinforcements under

- As the bench size increases so does the number of channels

Undershelves

• Height of shelf is fully adjustable, also an extra shelf can be added

• Special •; channel reinforcements under to suit the bench type & size, and as the bench size increases so does the •; channel width; S/S 1.2 mm thick

Description

All Stainless Steel Flat Workbench with solid undershelf - WB6-2100/A

- **2100mm Wide**
- **Free optional leg brace instead of solid shelf;** please specify leg brace on purchase order if required
- **OPTIONAL DRAWERS AVAILABLE;** - See Stainless Steel Accessories
- 600 mm deep × 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs

- Locking drawers available*
- **Legs**
- 1.2 mm S/S; 42 mm Ø
- Fully adjustable S/S polished disc feet that match the legs perfectly
- Castor kits available (lockable)
- **Benchtops**
- 1.2 mm material; SUS304 (18/8)
- Lined with XPS board, 20 mm thick & S/S panel
- Special S/S ‘ U ’ channel reinforcements under
- As the bench size increases so does the number of channels
- **Undershelves**
- Height of shelf is fully adjustable, also an extra shelf can be added
- Special ‘ U ’ channel reinforcements under to suit the bench type & size, and as the bench size increases so does the ‘ U ’ channel width; S/S 1.2 mm thick

2 Years Parts only Warranty

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	57
Width (mm)	2100
Depth (mm)	600
Height (mm)	900
Packing Width (mm)	670
Packing Depth (mm)	2170
Packing Height (mm)	185
Power	0
Warranty	2 Years Parts Only