



## Thermaster Single Door Upright Display Fridge - SUCG500

### Quick Overview

- Gross Volume: 500L
- Temperature Range: 2 to 5 ° C
- Stainless Steel Exterior & Interior\*
- Single door
- **LED Lighting**
- Aspera compressors & German EBM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Extremely efficient self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- Lighting inside
- Double-glazed doors
- Castors
- \*gal metal back

### Description

Thermaster Single Door Upright Display Fridge - SUCG500

### Key Features

- Gross Volume: 500L
- Temperature Range: +2 to +5 ° C
- Stainless Steel Exterior & Interior\*
- Single door
- LED Lighting
- Aspera compressors & German EBM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- Fan-forced evaporator cooling

- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Extremely efficient self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- Lighting inside
- Double-glazed doors
- Castors
- \*gal metal back
- Certified 3M1 food-safe with a 6 Star GEMS rating

**2 Years Parts and Labour + 2years parts-only warranty with Product Registration**

Your Shipping Specifications

|                          |                                                                                                 |
|--------------------------|-------------------------------------------------------------------------------------------------|
| Product Condition        | New                                                                                             |
| Doors                    | 1                                                                                               |
| Door Type                | Hinged Doors                                                                                    |
| Body                     | Stainless Steel                                                                                 |
| Gross Volume             | 500L                                                                                            |
| Temperature Range        | +2 to +5 ° C                                                                                    |
| Total Energy Consumption | 4.34 kWh/24h                                                                                    |
| Net Weight (Kg)          | 106                                                                                             |
| Width (mm)               | 620                                                                                             |
| Depth (mm)               | 760                                                                                             |
| Height (mm)              | 1980                                                                                            |
| Packing Width (mm)       | 840                                                                                             |
| Packing Depth (mm)       | 690                                                                                             |
| Packing Height (mm)      | 2030                                                                                            |
| Power                    | 240V, 508W                                                                                      |
| Warranty                 | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |