



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster XF600SS 555L Upright Static Freezer – Stainless Steel

Model / SKU: XF600SS

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/7736/store/7/



FED-X 555L S/S Single Solid Door Freezer - XF600SS

Quick Overview

- Gross Volume: 555L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: -18 to -15 °C
- 60mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Rear castors
- Triple glazed Low-E doors for freezers with heated filament for clear viewing
- Rounded internal corners for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Front adjustable legs
- Regular manual defrosting is necessary
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Static Cooling with fan for fridge, Static Cooling for freezer

Description

FED-X 555L S/S Single Solid Door Freezer - XF600SS

Key Features

- Gross Volume: 555L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: -18 to -15
- 60mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Rear castors

- Rounded internal corners for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Front adjustable legs
- Regular manual defrosting is necessary
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Static Cooling with a fan for the fridge, Static Cooling for the freezer

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	1
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	555L
Max Ambient Temperature	30°C, 55%RH
Temperature Range	-22 to -18 ° C
Total Energy Consumption	3.046 kWh/24h
Lids	1
Form Factor	Upright
Lid Material	Solid
Net Weight (Kg)	92
Width (mm)	777
Depth (mm)	695
Height (mm)	1890
Packing Width (mm)	752
Packing Depth (mm)	823
Packing Height (mm)	1890
Power	240V, 450W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration