



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bonvue HWB2-102 Backfill Heated Display Cabinet – 953 mm

Model / SKU: HWB2-102


KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/7750/store/7/



Bonvue Heated Passthrough Warmer - HWB2-102

Quick Overview

- Dual-Tier Shelves: Organizes and displays products effectively
- Stainless Steel Food Slide Guide: Regulates the descent of food from the back
- Stainless Steel Accents: Offers a sleek and clean appearance
- Glass Visibility: Full transparency for viewing from any angle
- Mechanical Temperature Control: For hands-on, reliable adjustments
- Visible Temperature Display: Allows for easy monitoring of heat levels
- Contemporary Black Design: Fits seamlessly into modern settings
- Robust Leg Supports: Provides stability and proper elevation
- Temperature range: +30 to +90°C
- General Rated Input Power(W) 1100
- Rated Current(A) 4.8
- Rated Voltage(V) 220-240~
- Rated Frequency(Hz) 50
- Display Area(m²) 1.02
- Net Weight(kg) 50
- Grade of Waterproof IPX4

Description

Bonvue Heated Passthrough Warmer - HWB2-102

This unit is crafted for commercial environments, enabling effortless control with a mechanical controller and clear temperature display. The specialized stainless steel guide is designed to ensure a smooth transition of food from the back to the front for service

Key Features

- Dual-Tier Shelves: Organizes and displays products effectively
- Stainless Steel Food Slide Guide: Regulates the descent of food from the back
- Stainless Steel Accents: Offers a sleek and clean appearance
- Glass Visibility: Full transparency for viewing from any angle
- Mechanical Temperature Control: For hands-on, reliable adjustments
- Visible Temperature Display: Allows for easy monitoring of heat levels
- Contemporary Black Design: Fits seamlessly into modern settings
- Robust Leg Supports: Provides stability and proper elevation
- Temperature range: +30 to +90°C
- General Rayed Input Power(W) 1100
- Rated Current(A) 4.8
- Rated Voltage(V) 220-240~
- Rated Frequency(Hz) 50
- Display Area(m2) 1.02
- Net Weight(kg) 50
- Grade of Waterproof IPX4

*This product is specifically designed for boxed or wrapped food only and intended to keep the product hot for short-term periods.

1 Year Parts and Labour Warranty

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	50
Width (mm)	953
Depth (mm)	703
Height (mm)	704
Packing Width (mm)	767
Packing Depth (mm)	1019
Packing Height (mm)	736
Power	240V, 1100W/4.4A
Warranty	One Year Parts and Labour Warranty