



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Fagor FWC-2602-2WB Dual Zone Wall-Mounted Wine Cellar – 2 Doors, LED

Model / SKU: FWC-2602-2WB


KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/1241/product/6526/>



Catalogue
FOOD SERVICE
Chapter
DISTRIBUTION

Specific model
FWC-2602-T2-W-LR-W-BLA TR 230V 1N 50Hz

19092348

05/04/2022

DENOMINATION:

Wine cellar Enolux Advance FWC-2602-T2-W-LR-W-BLA TR 2600 mm height 2 doors 2 temperatures wall configuration doors opening to the left and right white led lighting black color finishing 230V 1N 50 Hz climate class V cold group included refrigerant gas R452a

DESCRIPTION :


- Wine cellar specially designed to preserve, display and distribute wine.
- Fully manufactured in stainless steel for intensive professional use.
- Side and central walls with double-layered glass and air chamber between them.
- Swing doors that optimize space usage and make work easier.
- Ventilated refrigeration system to obtain a homogeneous temperature inside the cellar.
- Humidity control to create an optimal wine conservation environment as an option.
- Independent digital thermostat for each environment.
- Tray to collect defrost water and automatic evaporation. No drain required.
- LED lighting in all perimeters, adjustable by remote control.
- For easy delivery, wine cellars are shipped in two sections: body and removable top section containing complete refrigeration unit.
- Decorative plinth included as a standard element. Shelves and hooks should be requested separately and are supplied disassembled.
- Operating temperature: +4°C to +18°C.
- Glasses and door frames heated to avoid condensations.

POSSIBLE ACCESSORIES :

- ACCESSORIES
- METHACRYLATE SIDES
- WHINE SHELF
- BAR
- HOOK

DIMENSIONS

X Width	1697 mm	X Gross width	1840 mm
Y Depth	632 mm	Y Gross depth	800 mm
Z Height	2600 mm	Z Gross height	2985 mm
Net Weight	593,0 kg	Gross Weight	614,0 kg
Net volume	2,789 m3	Gross volume	4,394 m3



ELECTRICITY TECHNICAL SPECIFICATIONS

Electric power	2,680 kW
Amperage (A)	12,2
Voltage	230V - 1N
Electric frequency	50Hz

GAS TECHNICAL SPECIFICATIONS

Gas type	R-290
Gas type 2	R-290

COLD TECHNICAL SPECIFICATIONS

Refrigeration power	0,740 kW
Refrigeration power 2	0,740 kW
Gross internal volume	1460 L
Climate class	5
Cooling gas load	150,000 g
Cooling gas load 2	150,000 g

CONNECTIONS TECHNICAL SPECIFICATIONS

Drain 1 diameter	1/2"
------------------	------

OTHERS

Colour	Black
Number of doors	2
Type	Wall type
N° temperatures	2
Door opening	Left/ Right
LED colour	Warm white 2700°K



www.fagorprofessional.com






Catalogue
FOOD SERVICE
Chapter
DISTRIBUTION

Specific model
FWC-2602-T2-W-LR-W-BLA TR 230V 1N 50Hz

19092348

05/04/2022



H 2200
H 150

LD=431
AD=288