



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Tyrone SCP34 Fixed Head Heavy Duty Spiral Mixer – 34L, 10-Speed, 20kg

Model / SKU: SCP34

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/7781/store/7/



Tyrone Fixed Head Heavy Duty 34L Spiral Mixer – SCP34

Quick Overview

- Litres: 34
- Bowl Size: 400x210x260
- Min-Max Flour (kg): 0.25-12.5
- Kneading Capacity(kg) : 20
- Transmission: Belt and Variable Frequency Drive
- Double action and 10 speeds
- Able to memorize the user's preferred mixing speed
- With the Timer and Inching reverse function
- Safety guard included
- Positive reverse
- Adjustable feet and 4 castors
- Digital control panel with speed display and operating time display
- Programmable work steps
- Automatically adjusts speed and maintains power output
- Optimize the transmission structure
- Error code system
- Easy to Clean
- Various built-in protection programs, such as overload protection and overheating protection
- Suitable for a 50 to 57% hydration recipe
- Simple control panel
- User-centred design

Description

Tyrone Fixed Head Heavy Duty 34L Spiral Mixer – SCP34

Key Features

- Litres: 34

- Bowl Size: 400x260
- Min-Max Flour (kg): 0.25-12.5
- Kneading Capacity(kg) : 20
- Transmission: Belt and Variable Frequency Drive
- Double action and 10 speeds
- Able to memorize the user ' s preferred mixing speed
- With the Timer and Inching reverse function
- Safety guard included
- Positive reverse
- Adjustable feet and 4 castors
- Digital control panel with speed display and operating time display
- Programmable work steps
- Automatically adjusts speed and maintains power output
- Optimize the transmission structure
- Error code system
- Easy to Clean
- Various built-in protection programs, such as overload protection and overheating protection
- Suitable for a 50 to 57% hydration recipe
- Simple control panel
- User-centred design

1-Year Parts & Labour Plus 1-Year Parts Only Warranty When Products Registered Within 14D Of Invoice

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	151
Width (mm)	520
Depth (mm)	850
Height (mm)	860
Packing Width (mm)	620
Packing Depth (mm)	970
Packing Height (mm)	980
Power	240V, 1.8W/15A
Warranty	1 Year Parts & Labour Plus 1 Year Parts Only Warranty When Products Registered Within 14D Of Invoice