



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

**Fagor FWC-2302-1CB Wine Cellar – 2 Door Single Zone, 126 Bottles, Black**

**Model / SKU: FWC-2302-1CB**


#### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/1191/product/6522/>



**Catalogue**  
**FOOD SERVICE**  
**Chapter**  
**DISTRIBUTION**

**Specific model**  
FWC-2302-T1-C-LR-W-BLA TR 230V 1N 50Hz

19092288

05/04/2022

**DENOMINATION:**

Wine cellar Enolux Advance FWC-2302-T1-C-LR-W-BLA TR 2300 mm height 2 doors 1 temperature central configuration doors opening to the left and right white led lighting black color finishing 230V 1N 50 Hz climate class V cold group included refrigerant gas R452a

**DESCRIPTION :**


- Wine cellar specially designed to preserve, display and distribute wine.
- Fully manufactured in stainless steel for intensive professional use.
- Side and central walls with double-layered glass and air chamber between them.
- Swing doors that optimize space usage and make work easier.
- Ventilated refrigeration system to obtain a homogeneous temperature inside the cellar.
- Humidity control to create an optimal wine conservation environment as an option.
- Independent digital thermostat for each environment.
- Tray to collect defrost water and automatic evaporation. No drain required.
- LED lighting in all perimeters, adjustable by remote control.
- For easy delivery, wine cellars are shipped in two sections: body and removable top section containing complete refrigeration unit.
- Decorative plinth included as a standard element. Shelves and hooks should be requested separately and are supplied disassembled.
- Operating temperature: +4°C to +18°C.
- Glasses and door frames heated to avoid condensations.

**POSSIBLE ACCESSORIES :**

- ACCESSORIES
- METHACRYLATE SIDES
- WHINE SHELF
- BAR
- HOOK

**DIMENSIONS**

|            |          |                |          |
|------------|----------|----------------|----------|
| X Width    | 1697 mm  | X Gross width  | 1840 mm  |
| Y Depth    | 632 mm   | Y Gross depth  | 800 mm   |
| Z Height   | 2300 mm  | Z Gross height | 2685 mm  |
| Net Weight | 583,0 kg | Gross Weight   | 604,0 kg |
| Net volume | 2,467 m3 | Gross volume   | 3,952 m3 |



**ELECTRICITY TECHNICAL SPECIFICATIONS**

|                    |           |
|--------------------|-----------|
| Electric power     | 2,295 kW  |
| Amperage (A)       | 11,87A    |
| Voltage            | 230V - 1N |
| Electric frequency | 50Hz      |

**GAS TECHNICAL SPECIFICATIONS**

|            |       |
|------------|-------|
| Gas type   | R-290 |
| Gas type 2 | R-290 |

**COLD TECHNICAL SPECIFICATIONS**

|                       |           |
|-----------------------|-----------|
| Refrigeration power   | 0,740 kW  |
| Refrigeration power 2 | 0,740 kW  |
| Gross internal volume | 1307 L    |
| Climate class         | 5         |
| Cooling gas load      | 150,000 g |
| Cooling gas load 2    | 150,000 g |

**CONNECTIONS TECHNICAL SPECIFICATIONS**

|                  |      |
|------------------|------|
| Drain 1 diameter | 1/2" |
|------------------|------|

**OTHERS**

|                 |                   |
|-----------------|-------------------|
| Colour          | Black             |
| Number of doors | 2                 |
| Type            | Island type       |
| Nº temperatures | 1                 |
| Door opening    | Left/ Right       |
| LED colour      | Warm white 2700°K |



[www.fagorprofessional.com](http://www.fagorprofessional.com)






**Catalogue**  
FOOD SERVICE  
**Chapter**  
DISTRIBUTION

**Specific model**  
FWC-2302-T1-C-LR-W-BLA TR 230V 1N 50Hz

19092288

05/04/2022



H 2200  
H 150

LD=431  
AD=288