



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

FastFri FF18 Gas Deep Fryer | 400mm Wide | 18L Single Pan | 90MJ | Natural or LPG

Model / SKU: FF18

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/FF18_an.pdf



Gas Fryer 400mm FF18

- 400mm wide single pan fryer
- Stainless steel finish
- 90MJ multi-jet target burner
- 25kg / hr production rate
- Stainless steel open pan (no tubes)
- 30mm drain valve
- 18 litre oil capacity
- Mechanical thermostat
- Manual pilot ignition
- Baskets and lid included
- Adjustable feet

Overall Construction

Stainless steel open tank with cool zone
Stainless steel exterior front and sides
Double skin door with stainless steel outer
50mm dia. stainless steel adjustable legs
Two nickel plated wire baskets
Stainless steel lid supplied standard

Controls

100-190°C mechanical thermostat
Over-temperature safety cut-out
Manual ignition pilot burner with flame failure

Cleaning and Servicing

Open stainless steel pan for easy clean
Easy clean stainless steel exterior
30mm drain valve for effective draining
Lift off basket hanger
Access to all parts from front of unit





Gas Fryer 400mm FF18

Burners

Multi-jet target burner

Gas power

90MJ/hr, 25kW

Pan size

Oil capacity 18L (32lbs shortening)

Width 305mm

Length 380mm

Oil frying depth 95mm

Gas connection

R³/₄ (BSP) male

40mm from RH side, 24mm from rear, and 221mm from floor

All units incorporate Natural and LP gas regulator

Dimensions

Width 400mm

Depth 735mm

Height 915mm

Incl. splashback 1085mm

Packing data

0.54m³

Width 870mm

Depth 495mm

Height 1255mm


57kg nett weight

97kg packed weight

Gas types

Available in Natural gas and LP gas, please specify when ordering

Other gas types on request



Australia
www.moffat.com.au
New Zealand
www.moffat.co.nz

Australia
www.moffat.com.au

Moffat Pty Limited
Victoria/Tasmania
740 Springvale Road
Mulgrave, Victoria 3170
Telephone +61 3-9518 3888
Facsimile +61 3-9518 3833
vsales@moffat.com.au

New South Wales
Telephone +61 2-8833 4111
nswsales@moffat.com.au

South Australia
Telephone +61 3-9518 3888
vsales@moffat.com.au

Queensland / Northern Territory
Telephone +61 7-3630 8600
qldsals@moffat.com.au

Western Australia
Telephone +61 8-9413 2400
wasales@moffat.com.au

New Zealand
www.moffat.co.nz

Moffat Limited
Rolleston
45 Illinois Drive
Jzone Business Hub
Rolleston 7675
Telephone +64 3-983 6600
Facsimile +64 3-983 6660
sales@moffat.co.nz

Auckland
Telephone +64 9-574 3150
sales@moffat.co.nz



ISO9001
Quality
Management
Standard

Designed and manufactured by



ISO9001
Fastfri products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.



Cert No. 6882

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd
FF.S.01.19

an Ali Group Company



The Spirit of Excellence