



Thermaster Single Glass Door Upright Fridge Black Stainless Steel - SUCG500B

Quick Overview

- Gross Volume: 500L
- Black stainless steel
- Embraco compressors & German
- ‹BM-Pabst fans
- Dixell digital temp. controller & read-out
- 3 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Extremely efficient self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- Lighting inside
- Double glazed doors
- Castors
- Dimensions (WxDxH mm): 620x760x1995
- Temperature Range °C: +2 to +5
- Ambient / RH%: 38/50

Â

Description

Thermaster Single Glass Door Upright Fridge Black Stainless Steel - SUCG500B

HEAVY DUTY lockable units with a factory-balanced system that improves temperature recovery times, cools the cabinet quicker, keeps food fresher for longer, & lowering running costs.

Key Features

- Gross Volume: 500L
- Temperature Range: +2 to +5 ° C
- Black stainless steel
- Embraco compressors & German EBM-Pabst fans
- Dixell digital temp. controller & read-out
- 3 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Extremely efficient self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- Lighting inside
- Double-glazed doors
- Castors
- Dimensions (WxDxH mm): 620x760x1995
- Ambient / RH%: 38/50
- Certified 3M1 food-safe with a 6 Star GEMS rating

2-year parts and Labour + 2-year parts-only warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	1
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	500L
Temperature Range	+2 to +5 ° C
Total Energy Consumption	4.34 kWh/24h
Net Weight (Kg)	110
Width (mm)	620
Depth (mm)	760
Height (mm)	1980
Packing Width (mm)	650
Packing Depth (mm)	790
Packing Height (mm)	2140
Power	240V; 380/10 W/A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice